

D A P INC -- DAP BUTYL GUTTER & LAP SEALANT -- 8030-00-550-8628

===== Product Identification =====

Product ID:DAP BUTYL GUTTER & LAP SEALANT

MSDS Date:01/01/1987

FSC:8030

NIIN:00-550-8628

MSDS Number: BFDYF

=== Responsible Party ===

Company Name:D A P INC

Address:5300 HUBERVILLE ROAD

Box:277

City:DAYTON

State:OH

ZIP:45401-0277

Country:US

Info Phone Num:513-236-0911

Emergency Phone Num:513-236-0911

CAGE:IO869

=== Contractor Identification ===

Company Name:D A P INC

Box:277

City:DAYTON

State:OH

ZIP:45411-0277

Country:US

Phone:800-543-3840

CAGE:IO869

Company Name:DAP INC.

Address:Box:277

City:DAYTON

State:OH

ZIP:45401-0277

Country:US

Phone:513-253-7154/800-543-3840

CAGE:90300

===== Composition/Information on Ingredients =====

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000

Fraction by Wt: 1-10%

OSHA PEL:100 PPM

Ingred Name:VM & P NAPHTH

A CAS#8030-30-6
RTECS #:QI9458000
Fraction by Wt: 1-5%
ACGIH TLV:300 PPM

Ingred Name:TITANIUM DIOXIDE
CAS:13463-67-7
RTECS #:XR2275000
Fraction by Wt: 0-2%
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

===== Hazards Identification =====

Effects of Overexposure:ACUTE:LIQ,VAP IRRIT EYE,SKIN,RESPIR TRACT.MAY
CAUSE CENTRAL NERV SYST DEPRESS:HDCH,DIZZ,FAT,NAUS.SUP

===== First Aid Measures =====

First Aid:INHAL:R
EMOVE TO FRESH AIR.RESTORE BREATH IF NECESSARY.GET
MD.EYE:FLUSH W/ LARGE AMONTS OF WATER FOR 15 MIN.CONTACT A
PHYSICIAN.SKIN:WASH W/ SOAP & WATER.GET MD IF IRRIT
DEVELOPS.INGEST;DO NOT INDUCE V OMIT.GIVE H*20,MILK.CONTACT A MD
IMMEDIATELY

===== Fire Fighting Measures =====

Flash Point:58F,14C TCC
Extinguishing Media:FOAM,CO*2,DRY CHEMICALS
Fire Fighting Procedures:COOL CONTNR W/ H*20 DO NOT USE STRAIGHT HOSE
STREAM.USE SCBA
Unusual Fire/Exp
losion Hazard:CONTNR MAY EXPLO IF EXPO TO EXTREME
HEAT.ISOLATE FROM IGNIT SOURC.DO NOT PUT IN CONTACT W/ OXIDI HAT

===== Accidental Release Measures =====

Spill Release Procedures:LARGE:USE PROTECT EQUIP.ELIMINATE ALL SOURCES
OF IGNIT,VENTILATE SPILL AREA.CONTAIN SPILL BY DIKING.ABSORB SPILL
W/ ABSORBT MATRL.SHOVEL INTO CONTNR.CLEAN UP REMAINING W/ A NONFLAM
SOLVENT:1,1,1-TRICH LOROETHANE.PREVENT RUN-OFF TO
STREAM,SEWERS.SUPP

=====

=== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTNR FROM HEAT,FLAMES,DIRECT
SUNLIGHT.DO NOT STORE AT TEMP ABOVE 120F.PROVIDE CROSS VENT IN
STORAGE AREA.AVOID PRLG/RPTD BREATH,SKIN CONTACT
Other Precautions:KEEP CONTNR TIGHTLY CLOSED WHEN NOT IN USE.CONTAINS
FLAMM SOLVENT.VAP HARMF,MAY CAUSE FLASH FIRE.HARM OR FATAL IF
SWALLOWED.USE ONLY W/ ADEQUATE VENT & ELIMINATE SOURCES OF
IGNITION.WASH CLOTH

===== Exposure Controls/Pers
onal Protection =====

Respiratory Protection:NIOS/MSHA APPROVD RESPIRATOR IF TLV EXCEEDED.
Ventilation:MECHANICAL VENT(LOCAL OR GENERAL EXHAUST) TO KEEP BELOW
TLV.
Protective Gloves:IMPERVIOUS
Eye Protection:GOGG W/ SIDE SHIELDS
Other Protective Equipment:EYE WAS & SOLVENT IMPERV APRON.BARRIER CREAM
MAY BE USED
Supplemental Safety and Health
MSDS PREP:17MAY86.SPEC:TYPE 2,CLASS A.BP:100-200C.OVEREXPO:INGEST:CAUSE
NAUSEA,VOMIT,DIARR,DEPRESS RESPIRATION.IN CASE OF SPILL:NOTIFY

LOCAL HEALTH OFFIC.SMALL:USE ABSORB MAT,PLACE INTO CONTNR

===== Physical/Chemical Properties =====

HCC:F2
Boiling Pt:B.P. Text:212-392F
Spec Gravity:1.46
Evaporation Rate & Reference:N/K(PER MFR)
Solubility in Water:NEGLIGIBLE
Appearance and Odor:OPAQUE PASTE W/ A PETROLEUM DISTILLATE ODOR
Percent Volatiles by Volume:15.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS AND CAU

STICS

Stability Condition to Avoid:EXCESSIVE HEAT

Hazardous Decomposition Products:NORMAL CONBUSTION
PRODUCTS,I.E.CO*X,NO*X

===== Disposal Considerations =====

Waste Disposal Methods:DISCARDED SPILL RESIDUE MAY BE INCINERATED.DO
NOT INCINERATE SEALED CONTAINERS.DISPOSE ACCORDING TO FEDERAL,STATE
AND LOCAL REGULATIONS.LIQUID CAN NOT BE DISPOSED OF IN A LANDFILL.

Disclaimer (provided with this information by the compiling agencies):

This information

is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.