

MEASUREMENTS GROUP -- CHLOROTHENE SM -- 6810-00-551-1487

=====
Product Identification
=====

Product ID:CHLOROTHENE SM

MSDS Date:01/01/1985

FSC:6810

NIIN:00-551-1487

MSDS Number: BFDZB

=== Responsible Party ===

Company Name:MEASUREMENTS GROUP

Box:7777

City:RALEIGH

State:NC

ZIP:27611

Country:US

CAGE:88952

=== Contractor Identification ===

Company Name:MEASUREMENTS GROUP INC

Address:9517 US 64 HWY

Bo

x:City:WENDELL

State:NC

ZIP:27591

Country:US

Phone:919-365-3800

CAGE:88952

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 95.5%

OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450 STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ozone Depleting Chemical:1

=====
Hazards Identification
=====

Effects of Overexposure:EYES/SKIN:MILD I

RRIT. INH:ANESTHETIC

EFFECTS-POSS DEATH W/OVEREXPOSURE. ING:VERY LOW TOXICITY.

=====
First Aid Measures
=====

First Aid:EYES/SKIN:FLUSH W/WATER 15 MINS. WASH CLTHNG BEFORE REUSE.
ING:DO NOT INDUCE VOMITING. CALL MD &/OR TRANSPORT TO EMERGENCY
FACILITY. INH:MOVE TO FRESH AIR. GIVE ART RESP OR O*2 AS NEC. CALL
MD &/OR TR ANSPORT TO MED FACILITY.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Lower Limi
ts:8.0
Upper Limits:10.5
Extinguishing Media:WATER FOG.
Fire Fighting Procedures:SELF-CONTAINED RESP EQUIP.

=====
Accidental Release Measures
=====

Spill Release Procedures:SMALL:MOP UP/WIPE UP/SOAK IMMEDIATELY. REMOVE
TO OUTDOORS. LARGE:EVACUATE AREA. CONTAIN LIQUID;TRANSFER TO CLOSED
MATAL CONTAINERS. KEEP OUT OF WATER SUPPLIES. USE APPROPRIATE
SAFETY EQUIP.

=====
Handling and Storage
=====

Handling and Storage Prec
autions:STORE IN COOL DRY PLACE. AVOID BRTHNG
VAP. VAP HEAVIER THAN AIR-WILL COLLECT IN LOW AREAS-ENTER ONLY
W/SPECIAL BRTHNG APPARATUS & AN OBSERVER PRESENT.
Other Precautions:USE REASONABLE CARE. DO NOT TRANSFER PRODUCT FROM
ORIGINAL CONTAINER TO ONES MADE OF ALUMINUM. CARTRIDGE RESP NOT
RECOMMENDED EXCEPT FOR EVACUATION. IN EMERG: SCBA OR FULL-FACE RESP
AS REC.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE NORMALLY NEC(MF

R). NIOSH/MSHA APPRVD RESP
IF INADEQUATE VENT.

Ventilation:ADEQUATE TO MAINTAIN VAPORS BELOW TLV.

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

PRODUCT CONFORMS TO O-T-620C, TYPE 1, MIL-T-81533A, & MIL-STD-610.

===== Physical/Chemical Properties =====

HCC:T4

Boiling Pt:B.P. Text:165F,74C

Vapor Pres:100

Vapor Density:4.55

Spec Gravity:1.3210

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS LIQUID

Percent Volatiles by Volume:100

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

WATER-SLOW HYDROLYSIS PRODUCES CORROSIVE ACID.

Stability Condition to Avoid:OPEN FLAMES,WELDING ARCS, OTHER HIGH TEMP
SOURCES.

Hazardous Decomposition Products:HCL, VERY SMALL AMOUNTS OF PHOSGENE &
CHLORINE.

===== Disposal Considerations =====

Waste Disposal Methods:SEND SOLVENT TO LICENSED

RECLAIMER/INCINERATE/EVAPORATE SMALL QUANTITIES/APPROVED
LANDFILL

BURIAL IN COMPLIANCE W/LOCAL,STATE & FEDERAL REGULATIONS. DUMPING
INTO SEWERS, ON THE GROUND, OR INTO ANY BOD Y OF WATER IS STRONGLY
DISCOURAGED & POSS ILLEGAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use.

Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.