View NSN Online: https://aerobasegroup.es/nsn/6850-00-597-9765 UNION CHEM.DIV., UNION OIL CO.OF AMERICA -- AMSCO SOLVE -- 6850-00-597-9765 Product ID: AMSCO SOLVE MSDS Date:01/01/1985 FSC:6850 NIIN:00-597-9765 MSDS Number: BFGTZ === Responsible Party === Company Name: UNION CHEM. DIV., UNION OIL CO. OF AMERICA Emergency Phone Num:312-490-2500 CAGE:KO623 === Contractor Identification === Company Name: UNION CHEM. DIV., UNION OIL CO. OF **AMERICA** CAGE:KO623 Company Name: UNOCAL CHEMICALS DIV., UNION OIL OF CALIFORNIA Address:1345 N MEACHAM Box:City:SCHAUMBURG State:IL ZIP:60196 Phone:312-490-2500/800-424-9300(CHEMTREC) CAGE:94684 ======= Composition/Information on Ingredients ======== Ingred Name: PARAFFIN WAX CAS:8002-74-2 RTECS #:RV0350000 OSHA PEL:2 MG/M3 (FUME) ACGIH TLV:2 MG/M3 (FUME); 9192 Ingred Name: CHLORINATED HYDROCARBONS ACGIH TLV:100 PPM Effects of Overexposure: EYE, SKIN IRRITANT; NARCOSIS First Aid:SKIN:WASH W/SOAP & WATER. EYES:FLUSH W/WATER FOR 15 MIN.CALL DR.:INHAL:REMOVE TO FRESH AIR, GIVE OXYGEN IF NEEDED. INGEST:DO NOT INDUCE VOMIT; GET DR. Flash Point: 200F, 93C TCC

Extinguishing Media:FOAM,CARBON DIOXIDE,DRY CHEM.
Fire Fighting Procedures:SELF-CONTAINED BREATHING;DO NOT USE

EXCEPT TO COOL CON Unusual Fire/Explosion Hazard:KEEP AREAS FREE FROM HOT SURFACES,IGNITION SOURCES
======================================
Spill Release Procedures:KEEP FROM ALL SOURCES OR HEAT AND IGNITION,AND HOT METAL SURFACES;USE RETAINING AREAS OR CONTAINERS WITH LARGE AMTS OF WATER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH CARTRIDGE AT AND ABOVE TLV,OR GAS MASK Ventilation:LOCAL,M ECHANICAL Protective Gloves:YES
Eye Protection:YES Other Protective Equipment:IMPERMEABLE APRONS;EYE WASHES AND SAFETY SHOWERS. Supplemental Safety and Health
BOILING RANGE 102-410F INCLUDES CYCLOPARAFFINS; POISON INFORMATION CENTER:213-664-2121 (LA)
========= Physical/Chemical Properties ==========
HCC:N1 Boiling Pt:B.P. Text:102F,3.8C Vapor Density:1.0 Spec Gravity:0.95 Solubility in Water:NEGLIGIBLE Appearance and Odor:CLEAR LIQUID. Percent Volatiles by Volume:100
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG ACIDS AND BASIS AND AMINES Stability Condition to Avoid:STRONG ACIDS OR BASES,AND AMINES Hazardous Decomposition Products:CARBON DIOXIDE/MONOXIDE
======= Disposal Considerations ==========
Waste Disposal Methods:LOCAL,STATE,COUNTY,AND FED. REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formu

WATER

lated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.