

PRATT & LAMBERT, INC. -- 742310 ENAMEL ALKYD GLOSS YELLOW 13538 -- 8010-00-616-7488

===== Product Identification =====

Product ID:742310 ENAMEL ALKYD GLOSS YELLOW 13538

MSDS Date:01/01/1987

FSC:8010

NIIN:00-616-7488

MSDS Number: BFHYP

==== Responsible Party ===

Company Name:PRATT & LAMBERT, INC.

Address:16116 E 13TH ST

Box:2153

City:WICHITA

State:KS

ZIP:67201

Country:US

CAGE:FO127

==== Contractor Id

entification ===

Company Name:PRATT & LAMBERT, INC/BUFFALO, NY 14240

Box:22

CAGE:FO127

Company Name:PRATT AND LAMBERT INC

Address:Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

===== Composition/Information on Ingredients =====

Ingred Name:LEAD CHROMATE (OSHA PEL FOR LEAD FROM 29CFR  
1910.1025),(CRO3 CEILING 0.1 MG/M3)

CAS:7758-97-6

RTECS #:GB2975000

OSHA PEL:0.05 MG/M3 (PB)

ACGIH TLV:0.05MG/M3(CR)A2;8990

Ingred Name: \*MINERAL SPIR

ITS  
CAS:64475-85-0  
RTECS #:PY8240000  
ACGIH TLV:100PPM

Ingred Name:LEAD COMPOUNDS  
OSHA PEL:0.05 MG/M3 (PB)  
ACGIH TLV:0.15 MG/M3 (PB);8990

Ingred Name:LEAD (SARA III)  
CAS:7439-92-1  
RTECS #:OF7525000  
OSHA PEL:0.05 MG/M3;1910.1025  
ACGIH TLV:0.15 MG/M3;DUST 9192  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:PROPYLENE GLYCOL METHYL ETHER ACETATE  
(VP 2 MM HG @ 20 DEG.C)  
CAS:108-65-6  
RTECS #:AI8925000  
OSHA PEL:NONE ESTABLISHED  
ACGIH TLV:NONE ESTABLISHED

Ingred Name:VOC. ORGANIC CMPD 3.  
9 LB/GL LESS WATER & NPRS\* 468 G/L  
LESSWATER VOC 9.7 LB/GAL SOLIDS 1164 G/L SOLIDS CALCULATED.  
RTECS #:9999999VO

#### ===== Hazards Identification =====

Effects of Overexposure:SWALLOW:GASTROINTESTINALIRRIT,  
NAUSEA,VOMIT,DIARRHEA.MATRL INTO LUNGS CAN CAUS FATAL PNEUMONITIS

#### ===== First Aid Measures =====

First Aid:IF SWALLOW:INDUCE VOMITING IMMED BY GIVING 2 GLASSES OF WATR&  
STICKING FINGR DOWN THROAT.CONSLT DR  
OR POISON CONTROL CENTR  
IMMED. (NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON)  
INHAL:REMOVE TO FRESH AIR IMMEDIATELY.

#### ===== Fire Fighting Measures =====

Flash Point:80F 27C  
Extinguishing Media:CL B FIRES:CO\*2, DRY CHEMICAL OR ALCOH FOAM.  
Fire Fighting Procedures:SELF-CONTND BREATHING APPARAT. WATR TO COOL  
EXPOS CONTNRS  
Unusual Fire/Explosion Hazard:CONTNRS TIGHTLY CLOS.ISOLAT FR  
HEAT,ELECTR EQPMT,SPARKS & FLAME.MAY EXPLOD IF EXPOS TO

# EXTREMEHEAT.

## ===== Accidental Release Measures =====

Spill Release Procedures:KEEP SPECTATORS AWAY ELIMINATE ALL IGNITION SOURCES (FLAMES,HOT SURFACES, & SOURCES OF ELECTRICAL,STATIC OR FRICTIONAL SPARKS).DIKE & CONTAIN SPILL W/INERT MATRL(E.G. SAND, EARTH).TRANSFR LIQDS TO COVE R METAL CONTNR F/RECOVRY OR DISPOSAL,REMOV W/INERT

## ===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F.STORE LG

QUANTITIES IN COMPLIANCE W/OSHA 29CFR1910.106.

Other Precautions:DO NOT TAKE INTERNALLY.CLOSE CONTNRAFTR EACH USE.

KEEP AWAY FROM CHILDREN.DO NOT BREATHE SANDING DUST.WASH HANDS & FACE THOROUGHLY BEFORE EATING OR DRINKING.EMPTY CONTNRS MUST NOT BE REUSED.

## ===== Exposure Controls/Personal Protection =====

Ventilation:LOC EXHAUST VENTILATION TO REMOV DECOMPOSITION BY PRODUCTS.

Protective Gloves:SOLVNT IMPERMEA

Eye Protection:SAFETY SPECTACLES W/SI  
DE

Other Protective Equipment:AS REQD TO PREVNT SKIN CONTCT.SEE OSHA STANDARD FOR LEAD.

Supplemental Safety and Health

\*INDICATES SOLVENT. HAZARDOUS DECOMP PRODUCTS: IN ADDITION, OXIDES OF LEAD MAY BE GENERATED.

## ===== Physical/Chemical Properties =====

HCC:F4

Evaporation Rate & Reference:SLOWER THAN ETHER

## ===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS OR ALKALINE MATERIALS.  
Ha

zardous Decomposition Products:BURNING,HEAT BY WELDING,CUTTING WILL  
PROD SMOK,CO & CO\*2.(SU

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORD W/FED. STATE & LOC LAWS.CONTAM  
ABSORBANT MAY BE DISPOS IN EPA-PERMITTED HAZARDOUS WASTE LANDFILLS.  
INCINERATE ONLY IN EPA PERMITTED FACILITY. DO NOT INCINERATE CLOSED  
CONTAINERS.OBSE RV PRECAUTIONS F/FLAMMABLE MATERIAL DISPOSAL.

Disclaimer (provided with this information by the  
compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.