

SIL-TECH CORPORATION -- SILICONE FLUID ST-22(10) -- 9150-00-664-0111

=====
Product Identification
=====

Product ID:SILICONE FLUID ST-22(10)

MSDS Date:01/01/1987

FSC:9150

NIIN:00-664-0111

MSDS Number: BFKHV

=== Responsible Party ===

Company Name:SIL-TECH CORPORATION

Emergency Phone Num:517 423 3113

CAGE:4Y322

=== Contractor Identification ===

Company Name:SIL-TECH CORPORATION

Address:810 SOUTH MAUM

EE STREET

City:TECUMSEH

State:MI

ZIP:49286-0177

Country:US

Phone:517-423-3113

CAGE:4Y322

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYDIMETHYLSILOXANE(SILICONE FLUID); TLV IS FOR OIL MIST

CAS:9016-00-6

RTECS #:TQ2690000

Fraction by Wt: 100%.

ACGIH TLV:5 MG/CUM (MIST)

=====
Hazards Identification
=====

Effects of Overexposure:TOXICITY AND IRRITATION CONSIDERED TO BE
LOW.MAY IRRITATE EYES AND SKIN.USE PERSONAL PROTEC
TION.

=====
First Aid Measures
=====

First Aid:SKIN:WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER.
INHALED: REMOVE TO FRESH AIR. REMOVE CONTAMINATED CLOTHING.

=====
Fire Fighting Measures
=====

Flash Point:253F/123C (PMCC)

Extinguishing Media:WATER SPRAY,FOAM,CO*2,DRY CHEMICAL

Fire Fighting Procedures:NONE SPECIFIED.USE SCBA IN FIRES AND IN
CONFINED AREA.

Unusual Fire/Explosion Hazard:NONE SPECIFIED. USE REASO

NABLE CARE.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION. ABSORB AND COLLECT FOR PROPER DISPOSAL

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA. KEEP CONTAINER TIGHTLY CLOSED,WHEN NOT IN USE.

Other Precautions:AVOID CONTACT WITH SKIN AND EYES.DO NOT USE CONTAMINATED CLOTHES.

===== Exposure Control
s/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR OIL MIST IF NEEDED.

Ventilation:MECHANICAL (GENERAL) RECOMMENDED

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:SAFETY SHOWER & EYE BATH

Supplemental Safety and Health

MSDS FROM SL-TECH IS NOT DATED.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:NOT LISTED

Vapor Pres:U/K

Spec Gravity:0.935

Viscosity:10 CST

@ 77F

Evaporation Rate & Reference:U/K

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR,COLORLESS,ODORLESS LIQUID.

Percent Volatiles by Volume:NEGL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:NONE SPECIFIED

Hazardous Decomposition Products:NONE SPECIFIED; EXPECT OXIDES OF CARBON & SILICONE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR BURY ACCORDING TO LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.