

ELDORADO CHEMICAL CO, INC. -- HT2338 -- 6850-00-680-0653

=====
===== Product Identification =====

Product ID:HT2338

MSDS Date:01/01/1987

FSC:6850

NIIN:00-680-0653

MSDS Number: BFLFD

=== Responsible Party ===

Company Name:ELDORADO CHEMICAL CO, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265

Country:US

Info Phone Num:512-653-9323

Emergency Phone Num:800-531-1088

CAGE:55208

==

= Contractor Identification ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837

Country:US

Phone:800-531-1088/ 210-653-2060

CAGE:55208

=====
===== Composition/Information on Ingredients =====

Ingred Name:O-DICHLOROBENZENE (SARA III)

CAS:95-50-1

RTECS #:CZ4500000

Fraction by Wt: 35%

OSHA PEL:C 50 PPM

ACGIH TLV:S, 25PPM/50 STEL9394

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:CRESOL, ALL ISOMERS (CRES

YLIC ACID) (SARA III)
CAS:1319-77-3
RTECS #:GO5950000
Fraction by Wt: 20%
OSHA PEL:S, 5 PPM
ACGIH TLV:S, 5 PPM; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ETHYLENEDIAMINE (SARA III)
CAS:107-15-3
RTECS #:KH8575000
Fraction by Wt: 7.5%
OSHA PEL:10 PPM
ACGIH TLV:S, 10 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Effects of Overexposure:DIZZ,NAU,SKIN&EYE CHEM BURNS.

===== First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH
W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE
VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

===== Fire Fighting Measures =====

Flash Point:180F,82C COC
Lower Limits:3
Upper Limits:9
Extinguishing Media:WATER FOG, CO*2, DRY CHEMICAL, FOAM
Fire Fighting Procedures:W
EAR SCBA AND PROTECTIVE EQUIPMENT.
Unusual Fire/Explosion Hazard:MAY EMIT HYDROCHLORIC ACID & CHLORIDES
WHEN IN CONTACT W/FLAMES.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB W/INERT MATL & RINSE RESIDUE W/LG QTY
OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE, AVOID ANY
SKIN CONTACT.
Other Precautions:WASH THOROUGHLY AFTER HANDLING.

=====

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED RESP FOR ORGANIC VAPORS
Ventilation:LOCAL REQUIRED
Protective Gloves:RUBBER
Eye Protection:FULLFACE SHIELD
Other Protective Equipment:RUBBER APRONS, EYE BATH, SAFETY SHOWER.
Supplemental Safety and Health
MSDS DATED 31 MAY 1976. SUBMITTED AS ALTERNATE OFFER.

===== Physical/Chemical Properties =====

HCC:B2
Boiling Pt.=121.1C, 250.F
Vapor Pres:20
Vapor Density:5
Spec
Gravity:1.2
Evaporation Rate & Reference:1 (WATER=1)
Solubility in Water:NEGLIGIBLE
Appearance and Odor:BROWN LIQUID, PUNGENT ODOR.
Percent Volatiles by Volume:75

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXIDIZERS
Stability Condition to Avoid:NONE SPECIFIED BY MFR. AVOID EXCESSIVE
HEAT.
Hazardous Decomposition Products:HYDROCHLORIC ACID AND CHLORIDES MAY
FORM

===== Disposal Considerations =====

Waste Disposal Methods:TREAT FOR PHENOLS & INCINERATE I/A/W ALL LOCAL,
STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent

professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.