

MPD INC. -- 7077 ELECTRON-VACUUM TUBE -- 5960-00-688-6706

===== Product Identification =====

Product ID:7077 ELECTRON-VACUUM TUBE

MSDS Date:08/15/1990

FSC:5960

NIIN:00-688-6706

MSDS Number: BFLTY

=== Responsible Party ===

Company Name:MPD INC.

Address:316 E 9TH ST

City:OWENSBORO

State:KY

ZIP:42301-2312

Country:US

Info Phone Num:502-685-6200

Emergency Phone Num:502-685-6200

CAGE:LO825

=== Contractor Identification ===

Company Name:MPD INC.

Address:316 E 9TH ST

Box:City:OWENSBORO

State:KY

ZIP:42301-2312

Country:US

Phone:502-685-6200

CAGE:LO825

Company Name:MPD INC.(FORMERLY GENERAL ELECTRIC CO)

Address:316 E 9TH STREET

City:OWENSBORO

State:KY

ZIP:42303-2312

Country:US

Phone:502-685-6200

CAGE:33173

===== Composition/Information on Ingredients =====

Ingred Name:RHENIUM 187

Fraction by Wt: 1.89%

Other REC Limits:NONE SPECIFIED

Ingred Name:RHENIUM 187 EMITS 0.008 MEV BETA PARTICLES.

TUNGSTEN-RHENIUM ALLOY HAS SPECIFIC ACTIVITY OF 0

.00008  
MICROCURI/GRAM.  
RTECS #:9999999ZZ  
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ELECTRON VACUUM TUBES OPERATE AT HIGH TEMPERATURES THAT MAY CAUSE MINOR HEAT RELATED BURNS TO SKIN IF CONTACT IS MADE.  
Effects of Overexposure:MINOR HEAT RELATED BURNS.  
Medical Cond Aggravated by Exposur  
e:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:NO EMERGENCY CARE ANTICIPATED.

===== Fire Fighting Measures =====

Extinguishing Media:NON-FLAMMABLE. USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE.  
Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER.  
Unusual Fire/Explosion Hazard:ELECTRON VACUUM TUBES OPERATE UNDER HIGH VACUUM AND IMPLOSION COULD OCCUR AT HIGH TEMPERATURE.

===== Accidental Release Measures =====

Spill Release Procedures:HANDLE BROKEN TUBES WITH GLOVES AND FORCEPS. WEAR PROTECTIVE CLOTHING.

===== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER. ISE GAS MASK.  
Protect

ive Gloves:COTTON  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health  
TUBE CONTAINS RADIOACTIVE RHENIUM-187. MAXIMUM POSSIBLE ACTIVITY PER  
ARTICLE IS 0.00000046 MICROCURIE. THESE ARTICLES ARE EXCEPTED FROM  
RADIOACTIVE LABELING AND NOTIFICATION REQUIREMENTS PER DAC #88-1 4,  
252, 223-7005, MIL-STD-129, ICC ATA-111.1, 173.422, AND  
MIL-HBDK-6000.

=====  
===== Physical/Chemical Properties =====

HCC:A2  
Appearance and Odor:WHITE CERAMIC AND GOLD METAL. NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE  
Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:BROKEN OR SPENT TUBES SHOULD BE DISPOSED OF AS  
SPECIFIED IN PARAGRAPH 20.301,10CFR PART 20,CODE OF FEDERAL  
REGULATIONS.IF  
PROPER DISPOSAL PRESENTS A PROBLEM,RETURN TO  
MANUFACTURER.COMPLY WITH APPLICABLE FEDERAL,STATE AND LOCAL  
ENVIRONMENTAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should  
seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.