View NSN Online: https://aerobasegroup.es/nsn/8030-00-723-5344

Product ID:PR-1440 CLASS A-2, PT B MSDS Date:06/05/1986 FSC:8030 NIIN:00-723-5344 MSDS Number: BFMMP === Responsible Party === Company Name: PRODUCTS RESEARCH & CHEMICAL CORP Address:5430 SAN FERNANDO ROAD Box:1800 City:GLENDALE, State:CA ZIP:91209 Info Phone Num:(818) 240-2060 Emerge ncy Phone Num:(818) 240-2060 CAGE:DO563 === Contractor Identification === Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Phone:818-240-2060 CAGE:83574 Company Name: PRODUCTS RESEARCH & CHEMICAL Address:NOW DBA COURTAULDS AEROSPACE Box:1800 City:GLENDALE State:CA ZIP:91209 Phone:818-240-2060 CAGE:DO563

Ingred Name:METHYL ETHY

L KETONE (2-BUTANONE) (MEK) (SARA III) CAS:78-93-3 RTECS #:EL6475000 Other REC Limits:200 PPM OSHA PEL:200 PPM/300 STEL ACGIH TLV:200 PPM/300STEL 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III) CAS:108-88-3 RTECS #:XS5250000 Other REC Limits:100 PPM OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:PHENOLIC RESIN CAS:9003-35-4

Routes of Ent ry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: IRRITATION TO NOSE, THROAT, EYES & SKIN, HEADACHE, FATIGUE, CONFUSION, DIZZINESS, DROWSINESS, NUMBNESS & UNCONSCIOUSNESS. INGESTION: MAY CAUSE NAUSEA AND VOMITING.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: IRRITATIN TO NOSE, THROAT, EYES & SKIN, HEADACHE, FATIGUE, CONFUSION, DIZZINESS, DROWSINESS, NUMBNESS

& UNCONSCIOUSNESS. PROLONGED EXPOSURE CAN CAUSE LIVER & KIDNEY DAMAGE. INGESTION: MAY CAUSE NAUSEA & VOMITING.

First Aid:EYES: FLUSH WITH WATER FOR 15 MIN. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER FOR 15 MINUTES. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT CONSULT A PHYSICIAN. INGESTION: CONSULT A PHYSICIAN.

Flash Point Method:PMCC
Flash Point:62F
Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG.
Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE BUILDUP IN CLOSED CONTAINERS.

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. WEAR AIR-SUPPLIED RESPIRATOR FOR MAJOR UNVENTILATED SPILL. COV ER WITH ABSORBANT.

SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH 1,1,1-TRICHLOROETHANE.

Handling and Storage Precautions:NONE

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: USE AN ORGANIC VAPOR CARTRIDGE OR AIR-SUPPLIED RESPIRATOR. Ventilation: PROVIDE LOCAL EXHAUST VENTILATION TO KEEP