

===== Product Identification =====

Product ID:PR-1422 A-2 (W)

MSDS Date:01/01/1987

FSC:8030

NIIN:00-753-5009

Kit Part:Y

MSDS Number: BFNJZ

=== Responsible Party ===

Company Name:COURTAULDS

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-424-9300 CHEMTREC/800-228-5635

CAGE:83574

=== Contractor Identification ===

Company Name:

PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:CALCIUM DICHROMATE

CAS:14307-33-6

RTECS #:HX7630000

Fraction by Wt: 4%

OSHA PEL:C, 0.1 MG/M3 (CRO3)

ACGIH TLV:0.05 MG/M3 (CR);8990

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 4%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV

:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)  
CAS:78-93-3  
RTECS #:EL6475000  
Fraction by Wt: 4%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:200 PPM  
ACGIH TLV:200 PPM/300STEL;9394  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:DIMETHYLACETAMIDE  
Fraction by Wt: 2%  
ACGIH TLV:10PPM

===== Hazards Identification =====

Effects of Overexposure:HDACH; POSS SKIN IRRIT.

=====

== First Aid Measures =====

First Aid:SKIN:WASH THOROUGHLY WITH SOAP & WATER. EYES:WASH OUT IMMEDIATELY WITH A LARGE AMOUNT OF WATER; SEE A PHYSICIAN. INHAL: REMOVE TO FRESH AIR.

===== Fire Fighting Measures =====

Flash Point:23F PMCC -5C  
Lower Limits:1.8  
Upper Limits:10.0  
Extinguishing Media:USE ANY EXTINGUISHING APPROPRIATE FOR CLASS B FIRES.  
Unusual Fire/Explosion Hazard:MAY EMIT POTENTIALLY TOXIC VAPORS.

===== Accidental Release Measures =====

=====

Spill Release Procedures:WIPE UP EXCESS WITH RAGS OR PAPER TOWELS; CLEAN AREA WITH MEK.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP IN CLOSED CONTAINERS IN SHELTERED AREA. KEEP AWAY FROM HEAT, SPARKS & OPEN FLAME. AVOID PROLONGED OR REPEATED SKIN CONTACT AND BREATHING OF VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR-SUPPLIED RESPIRATOR IN ENCLOSED AREAS.  
Ventilation:

ADEQ TO MINIMIZE VAPORS  
Protective Gloves:POLY/PROTECT HAN  
Eye Protection:CHEMICAL GOGGLES.  
Supplemental Safety and Health  
KEY1:F3.

===== Physical/Chemical Properties =====

HCC:F2  
Spec Gravity:1.31  
Evaporation Rate & Reference:>BU ACET  
Solubility in Water:INSOLUBLE  
Appearance and Odor:WHITE SYRUP; SLIGHT TOLUENE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
CAN REACT W/REDUCING MATERIALS  
Haza  
rdous Decomposition Products:OXIDES OF SULFUR, HYDROGEN SULFIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF CURED MATERIAL IN NORMAL TRASH. DO  
NOT INCINERATE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
d  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.