

FEL-PRO INCORPORATED -- FEL-PRO C-200 HIGH TEMPERATURE LUBRICANT -- 8030-00-764-6658  
===== Product Identification =====

Product ID:FEL-PRO C-200 HIGH TEMPERATURE LUBRICANT

MSDS Date:02/02/1987

FSC:8030

NIIN:00-764-6658

MSDS Number: BFNVM

=== Responsible Party ===

Company Name:FEL-PRO INCORPORATED

Address:7450 N. MCCORMICK BLVD

Box:C1103

City:SKOKIE

State:IL

ZIP:60076

Info Phone Num:(312) 674-770

0 OR (312) 761-4500

Emergency Phone Num:(312) 674-7700 OR (312) 761-4500

Preparer's Name:DIANE L. GALLAGHER

CAGE:DO270

=== Contractor Identification ===

Company Name:FEL-PRO INC DIV OF FELT PRODUCTS MFG CO

Address:7450 N MCCORMICK

Box:1103

City:SKOKIE

State:IL

ZIP:60076-4046

Country:US

Phone:847-674-7700 OR 312-761-4500

CAGE:73165

Company Name:FEL-PRO INCORPORATED

Address:7450 N MCCORMICK BLVD, BOX C1103

Box:C1103

City:SKOKIE

State:IL

ZIP:60076

Phone:312-674-7700/312-761-4500

CAGE:DO270

=====

=====  
Composition/Information on Ingredients  
=====

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 5 MG/CUM

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NO ACUTE OR CHRONIC HEALTH HAZARDS  
KNOWN FOR PRODUCT. TOXICOLOGICAL STUDIES INDICATE PRODUCT IS  
NONIRRITATING TO SKIN OR EYES. PRODUCT CONTAINS INORGANIC LEAD.

Explanation of Carcino

genicity:NONE

Effects of Overexposure:NONE EXPECTED

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH WITH TEPID WATER 15 MINUTES, HOLDING EYELIDS  
APART, GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. IF  
IRRITATION OCCURS, GET MEDICAL ATTENTION. INGESTION: CONTAINS  
INORGANIC LEAD MONOXIDE; GET MEDICAL ATTENTION IMMEDIATELY.

=====  
Fire Fighting Measures  
=====

Flash Point Method:PMCC

Flash Point:106

F,41C

Lower Limits:1.0%

Extinguishing Media:USE DRY CHEMICALS, FOAM, CO2, OR WATER FOG

Fire Fighting Procedures:USE EYE PROTECTION. USE SCBA WHEN FIGHTING  
FIRES IN CONFINED AREAS.

Unusual Fire/Explosion Hazard:IN THE PRESENCE OF OXYGEN, MATERIAL MAY  
DECOMPOSE TO FORM SULFUR OXIDES >750F. EXCEPT NOTED ABOVE, SAME AS  
PETROLEUM GREASE FIRES.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:REMOVE SOURCES OF IGNITION. WIPE UP WITH RAGS  
OR  
ABSORBENT MATERIAL. COMPLETE CLEAN-UP WITH DETERGENT & WATER OR  
HIGH FLASH POINT SOLVENT CLEANER WITH ADEQUATE VENTILATION.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:USE NORMAL STORAGE AND HANDLING. DO  
NOT EXPOSE TO HIGH HEAT, OPEN FLAMES OR STRONG OXIDIZERS.

Other Precautions:PRODUCT CONTAINS HYDROCARBONS-DO NOT USE OXYGEN  
SERVICE. KEEP OUT OF REACH OF CHILDREN.

=====  
Exposure Controls/Personal Protection  
=====

=====

Eye Protection:SUFFICIENT TO PREVENT CONTACT.

Work Hygienic Practices:USE GOOD HOUSEKEEPING PRACTICES. WASH THOROUGHLY BEFORE EATING, DRINKING OR SMOKING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:>500F

Vapor Pres:NEGLIGIBLE

Spec Gravity:1.45

Evaporation Rate & Reference:(BUTYL ACETATE = 1): .75

Solubility in Water:NEGLIGIBLE

Appearance and Odor:SOFT BLACK PASTE, CHARACTERISTIC AROMATIC ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID STRONG OXIDIZERS

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:PYROLYSIS YIELDS CO, CO2, INCOMPLETELY BURNED HYDROCARBONS, AND POSSIBLY SOX >750F

===== Disposal Considerations =====

Waste Disposal Methods:USE CONTROLLED INCINERATION OR BURY IN A POSTED TOXIC SUBSTANCES LANDFILL IN ACCORDANCE WITH FEDERAL, STATE AND

LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to

their  
particular situation.