

AMCHEM PRODUCTS,INC. -- BRUSH-ON ALODINE 1200 (1201 LIQUID) -- 8030-00-779-4699

=====  
Product Identification  
=====

Product ID:BRUSH-ON ALODINE 1200 (1201 LIQUID)

MSDS Date:01/01/1985

FSC:8030

NIIN:00-779-4699

Kit Part:Y

MSDS Number: BFPCR

=== Responsible Party ===

Company Name:AMCHEM PRODUCTS,INC.

Emergency Phone Num:215-628-1000

CAGE:DO024

=== Contractor Identification ===

Company Name:AMCHEM PRO

DUCTS,INC.

Address:300 BROOKSIDE AVE

City:AMBLER

Phone:313-583-9300

CAGE:DO024

Company Name:PARKER-AMCHEM/HENKEL CORPORATION

Address:32100 STEPHENSON HIGHWAY

Box:City:MADISON HEIGHTS

State:MI

ZIP:48071

Country:US

Phone:1-517-263-9430 CHEM EMER18004249300

CAGE:84063

=====  
Composition/Information on Ingredients  
=====

Ingred Name:CHROMIC ACID (SARA III)

CAS:7738-94-5

RTECS #:GB2450000

OSHA PEL:0.1 MG CRO3/M3;CEILG

ACGIH TLV:0.05 MG/M3

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ingr

ed Name:POTASSIUM FERRICYANIDE  
RTECS #:TT0300000

Ingred Name:HYDROGEN FLUORIDE (SARA III)  
CAS:7664-39-3  
RTECS #:MW7875000  
OSHA PEL:3 PPM/6 STEL (F)  
ACGIH TLV:C 3 PPM (F); 9192  
EPA Rpt Qty:100 LBS  
DOT Rpt Qty:100 LBS

=====  
===== Hazards Identification =====

Effects of Overexposure:IRRITATION OF SKIN.IRRITAT & ULCERATION OF  
MUCOUS MEMBRANES.SKIN CONTACT:CHLORIDE(AVAIL AT DRUG STOR

=====  
===== First Aid Measures =====

First Aid:D  
RINK MILK OF MAGNESIA,ALUMINUM HYDROXIDE GEL,OR LIMEWATER  
FOLLOWED BY SEVERAL GLASSES OF WATER.CALL A DOCTOR.EYE  
CONTACT:FLUSH W/COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MIN.CALL A  
PHYS.FLUSH W/WATER 5-10 MIN.THEN SOAK AFFECTED AREA F/1 HR IN AN  
IC

=====  
===== Fire Fighting Measures =====

Flash Point:+400 F +204C  
Extinguishing Media:WATER  
Unusual Fire/Explosion Hazard:NONE,HOWEVER,IF RAGS BECOME  
DRY,SPONTANEOUS COMBUSTION MAY OCCUR.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:TRANSFER CONTENTS TO A CLEAN POLYETHYLENE  
LINED DRUM.DISCARD THE BROKEN CONTAINER AFTER RINSING WITH WATER.IF  
RAGS BECOME SATURATED,RINSE THOROUGHLY W/WATER & DISCARD IN  
FIREPROOF CONTAINER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY PLACE.DO NOT STORE  
NEAR OXIDIZABLE OR FALMMABLE MATERIALS OR BELOW 32F.  
Other Precaution

s:KEEP CONTAINERS CLOSED.DO NOT GET IN EYES,ON SKIN OR CLOTHING;DO NOT BREATHE FUMES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FILTER TYPE DUST,FUME & MIST RESPIRATOR  
30CFR14(BUREAU OF MINES SCH  
Protective Gloves:RUBBER  
Eye Protection:SAFETY GOGGLES  
Other Protective Equipment:APRONS  
Supplemental Safety and Health  
PROCURED UNDER P/N CHEMICAL KIT 120

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:  
B.P. Text:>212 F >100  
Spec Gravity:1.008  
Appearance and Odor:AMBER LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
OXIDIZABLE MATERIALS;STRONG REDUCING AGENTS.

===== Disposal Considerations =====

Waste Disposal Methods:REDUCE W/SODIUM BISULFITE & THEN NEUTRALIZE TO  
PH 7-8 W/LIME

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.