Product ID:MIL-L-7808;TURBINE OIL MSDS Date:01/01/1987 FSC:9150 NIIN:00-782-2627 **MSDS Number: BFPGN** === Responsible Party === Company Name: AMERICAN OIL AND SUPPLY CO Address:239 WILSON AVE City:NEWARK State:NJ ZIP:07105-3824 Country:US Info Phone Num:201-589-0250 Emergency Phone Num:201-589-0250 CAGE:92895 === Contractor Identification === Company Name:A MERICAN OIL AND SUPPLY CO Address:239 WILSON AVE City:NEWARK State:NJ ZIP:07105-3824 Country:US Phone:201-589-0250 CAGE:92895

======= Composition/Information on Ingredients ==========

Ingred Name: ALIPHATIC DIESTER BASE ACGIH TLV: NOT SPECIFIED

Ingred Name:ADDITIVES MIXTURE (CONTAINS ANTI-OXIDANTS,ANTI-WEAR AGENTS,CORROSION INHIBITORS,ANTI FOAM ACGIH TLV:NOT SPECIFIED

Ingred Name:TRIORTHOCRESYL PHOSPHATE CAS:78-30-8 RTECS #:TD0350000 Other REC Limits:NONE SPECIFIED OSHA PEL:S, 0 .1 MG/M3 ACGIH TLV:S, 0.1 MG/M3; 9192

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Explanation of Carcinogenicity:DATA PER MGF MSDS. Effects of Overexposure:SEE HEALTH HAZARDS DATA. Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN.

First Aid:EYES AND SKIN:FLUSH WI TH LARGE AMOUNT OF WATER FOR ABOUT 15-20 MINUTES;SEEK MEDICAL ATTENTION IMMEDIATELY.INHALATION:REMOVE TO FRESH AIR;CALL A PHYSICIAN.INGESTION:SEEK MEDICAL ATTENTION IMMEDIATELY.

Flash Point Method:COC Flash Point:400F,204C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPAR

ATUS. COOL FIRE EXPOSED

CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.

Unusual Fire/Explosion Hazard:NONE NOTED;COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

Spill Release Procedures: USE PROPER PERSONAL PROTECTION: USE CLAY TYPE ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

Handling and Storage Precautions

:STORE IN COOL, DRY AND WELL VENTILATED AREA.AVOID OPEN FLAMES, HEAT.KEEP CONTAINER CLOSED WHEN NOT IN USE. Other Precautions: AVOID CONTACT WITH SKIN AND EYES.DO NOT BREATHE VAPORS/MIST.WASH THOROUGHLY AFTER EACH USE.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST/MIST IF ABOVE PEL/TLV OR SCBA IN AN ENCLOSED AREA. Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. Protective Gloves:IMPERVIOUS Eye Prot ection:SAFETY GLASSES/GOGGLES Other Protective Equipment:PROTECTIVE CLOTHINGS.EYE-WASH FACILITIES,SAFETY SHOWER. Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST/DUST.WASH THOROUGHLY AFTER EACH USE;DO NOT EAT,DRINK,SMOKE. Supplemental Safety and Health USE AS DIRECTED

HCC:V6 Boiling Pt:B.P. Text:>450F/232C Vapor Pres:10 Spec Gravity:0.92 Evaporation Rate & amp; Reference:>100 (ETH YL ETHR=1 Solubility in Water:NEGLIGIBLE Appearance and Odor:CLEAR YELLOW MOBILE LIQUID,MILD ODOR Percent Volatiles by Volume:NEGL

Stability Indicator/Materials to Avoid:YES AQUEOUS ALKALI Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNITION Hazardous Decomposition Products:COMBUSTION:CO,CO*2 AND OTHER ORGANIC PRODUCTS

Wa

ste Disposal Methods:CONSULT LOCAL AUTHORITIES;DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent p rofessional advice to verify and assume responsibility for the suitability of this information to their particular situation.