View NSN Online: https://aerobasegroup.es/nsn/6850-00-821-8882

MULTIGRAPHICS, AM INTERNATIONAL INC -- MULTILITH DEGLAZING SOLVENT -- 6850-00-821-8882

Product ID:MULTILITH DEGLAZING SOLVENT MSDS Date:02/01/1988 FSC:6850 NIIN:00-821-8882 MSDS Number: BFQVF === Responsible Party === Company Name: MULTIGRAPHICS, AM INTERNATIONAL INC Address:1800 W CENTRAL RD City:MT. PROSPECT State:IL ZIP:60056 Country:US Info Phone Num:312-870-512 1 Emergency Phone Num:(312) 870-5121;(312)398-1900(NIGHT) CAGE:MO036 === Contractor Identification === Company Name: AM MULTIGRAPHICS DIV OF AM INTL INC Address:431 LAKEVIEW CT Box:City:MOUNT PROSPECT State:IL ZIP:60056-6048 Country:US Phone:847-375-1700 CAGE:09177 Company Name: MULTIGRAPHICS, AM INTERNATIONAL INC Address:1800 W CENTRAL RD Box:City:MT. PROSPECT State:IL ZIP:60056 Country:US Phone:312-870-5121 CAGE:MO036

Ingred N

ame:METHYLENE CHLORIDE CAS:75-09-2 RTECS #:PA8050000 Fraction by Wt: 100% OSHA PEL:500 PPM/C,1000; Z2 ACGIH TLV:50 PPM, A2; 8990 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic: ACUTE-METHYLENE CL IS STORED IN BODY FAT & METABOLIZED TO CO WHICH REDUCES OXYGEN CARRYING CAPACITY OF В LOOD.EYE:EXTREME PAIN.SKIN:PROLONGED/REPEATED CONTACT WILL DEFAT & MAY CAUSE IRRITATION & DERMAT ITIS. INHALE: STRONG NARCOTIC EFFECT.ORAL:STOMACH DISCOMFORT.CAN CAUSE KIDNEY DAMAGE.CHRONIC-DERMATITIS. Explanation of Carcinogenicity: CONTAINS: DICHLOROMETHANE (METHYLENE CHLORIDE) WHICH IS POSSIBLY CARCINOGENIC TO HUMAN. Effects of Overexposure: METHYLENE CL IS STORED IN BODY FAT & METABOLIZED TO CO WHICH REDUCES OXYGEN CARRYING CAPACITY OF BLOOD. EXTREME EYE PAIN. PROLONGED/RE PEATED SKIN CONTACT WILL DEFAT & MAY CAUSE IRRITATION & DERMATITIS . INHALATION HAS STRONG NARCOTIC EFFECT. ORALLY CAUSES STOMACH DISCOMFORT. CAN CAUSE KIDNEY DAMAGE. Medical Cond Aggravated by Exposure: PRE-EXISTING SKIN DISORDERS MAY BE MORE SUSCEPTIBLE TO THIS MATERIAL.

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST.SKIN:WASH WITH SOAP & WATER.EYE:FLUSH WITH WATER FOR 15 MINUTES,HOLDING EYELIDS OPEN

.INHALED:REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED.ORAL:DO NOT IN DUCE VOMITING.IF VOMITING OCCURS,KEEP HEAD BELOW HIPS DUE TO ASPIRATION HAZARD.TAKE TO HOSPITAL EMERGENCY ROOM.

Flash Point Method:TCC Flash Point:NONE Autoignition Temp:Autoignition Temp Text:NONE Lower Limits:12 Upper Limits:19 Extinguishing Media:USE SUITABLE MEDIA FOR SURROUNDING FIRES. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Fire Fighting Procedures: WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE. Unusual Fire/Explosion Hazard: OPEN FLAME CAN PRODUCE PHOSGENE AND HYDROGEN CHLORIDE. CONTAINER MAY RUPTURE VIOLENTLY DURING A FIRE. Spill Release Procedures: WEAR PROTECTIVE EQUIPMENTS. VENTILATE AREA. REMOVE ALL HEAT AND IGNITION. SMALL SPILLS-WIPE WITH RAGS AND TOWELS. LARGE SPILLS- EVAPORATES RAPIDLY. DO NOT POUR DOWN DRAIN. Handling and Storage Precautions: STORE IN COOL, WELL-VENTILATED AREA.KEEP CONTAINER CLOSED. Other Precautions: AVOID BREATHING VAPORS OR MISTS. AVOID EYE OR SKIN CONTACT. WASH WITH SOAP AND WATER BEFORE EATING OR DRINKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. ======= Exposure Controls/Personal Protection ======= ==== Respiratory Protection: WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OPERATED IN POSITIVE PRESSURE MODE OR SUPPLIED-AIR RESPIRATOR WITH FULL FACEPIECE AND OPERATED IN PRESSURE-DEMAND OR OTHER POSITIVE PRESSURE MODE . Ventilation: LOCAL EXHAUST ONLY TO REMAIN BELOW 50% OF TLV. Protective Gloves: POLYETHYLENE Eve Protection:SAFETY GLASSES/FACE SHIELD Other Protective Equipment: PROTECTIVE CLOTHING, EYE-WASH FACILITIES, EMERGENCY SHOWER, APRON Work Hygienic Practices:OB SERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health HCC:T4 Boiling Pt:B.P. Text:104F,40C Vapor Pres:355 Vapor Density:2.93 Spec Gravity:1.320

Evaporation Rate & amp; Reference:14.50 (N-BUTYL ACETATE=1)

Solubility in Water:2% @ 25C

Appearance and Odor:CLEAR LIQUID - DISTINCT ODOR.

Percent Volatiles by Volume:100.

======== Stability and R

eactivity Data ==============

Stability Indicator/Materials to Avoid:YES
WILL DISSOLVE PAINTS & SYNTHETIC GARMENTS. AVOID METHYL-N-NITROSO-UREA, KOH, K TER-BUTOXIDE, NA & K ALLOY, AL & MG
Stability Condition to Avoid:FLAME
Hazardous Decomposition Products:MAY FORM PHOSGENE AND HCL.

Waste Disposal Methods:HAZARDOUS WASTE. DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided

with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.