

PAGE WELDING CORP -- AS-35 -- 3439-00-900-8737

=====  
Product Identification  
=====

Product ID:AS-35  
MSDS Date:01/01/1987  
FSC:3439  
NIIN:00-900-8737  
MSDS Number: BFVMF  
=== Responsible Party ===  
Company Name:PAGE WELDING CORP  
Emergency Phone Num:502-781-5560  
CAGE:JO963  
=== Contractor Identification ===  
Company Name:PAGE WELDING CORP  
Box:City:BOWLING GREEN  
State:KY  
ZIP:42101  
Country:US  
CAGE:8F248  
Compa  
ny Name:PAGE WELDING CORP.  
CAGE:JO963

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MANGANESE (SARA III)  
CAS:7439-96-5  
RTECS #:OO9275000  
Fraction by Wt: 1.1%  
OSHA PEL:(C) 5 MG/M3 DUST  
ACGIH TLV:5 MG/M3 DUST 9293

Ingred Name:TITANIUM (CAS #7440-32-6)  
CAS:7440-32-6  
RTECS #:XR1700000  
Fraction by Wt: 0.08%

Ingred Name:ZIRCONIUM  
CAS:7440-67-7  
RTECS #:ZH7070000  
Fraction by Wt: 0.07%  
OSHA PEL:5 MG/M3/10 STEL  
ACGIH TLV:5 MG/M3/10 STEL;9192

Ingred Name:COPPER (SA

RA III)  
CAS:7440-50-8  
RTECS #:GL5325000  
Fraction by Wt: 0.2%  
OSHA PEL:0.1MG/M3 FUME/1 DUST  
ACGIH TLV:0.2MG/M3 FUME; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:IRON (CAS #7439-89-6)  
CAS:7439-89-6  
RTECS #:NO4565500  
Fraction by Wt: 98%  
ACGIH TLV:5 MG/CUM(OXIDE)

=====  
Hazards Identification  
=====

Effects of Overexposure:NONE SPECIFIED BY MFG.

=====  
First Aid Measures  
=====

First Aid:RMV TO FRESH AIR. GET MED  
ICAL ATTN.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:NONE  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

=====  
Handling and Storage  
=====

Handling and Storage Precautions:NONE  
Other Precautions:ARC & SPARKS COULD BE IGNITION SOURCE FOR COMBUST  
MATL.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:WELD FUME RESP OR AIR LINE RESP FOR CONFINED

SPACE OR EXPOSURE >TLV.

Ventilation:MECHANICAL RECOMMENDED. LOCAL WHERE REQUIRED CONFINED AREA

Protective Gloves:WELDER'S

Eye Protection:SHIELD&SPECTACLES(WELD'G)

Other Protective Equipment:WELDER'S PROTECT CLTHG FOR SPARKS & HOT METAL

Supplemental Safety and Health

MSDS UNDATED. AWS CLASSIFICATION A5.18, ER7OS-2

===== Physical/Chemical Properties =====

HCC:N1

Solubility in Water:NEGLIGIBLE

Appearance and Odor:WELDING ROD 1/16 IN DIA, 36 IN. LONG

=====

=== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE I/A/W ALL LOCAL, STATE & FEDERAL REGS.  
NOT CONSIDERED A HAZ WASTE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defens

e. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.