

AERVOE-PACIFIC -- #430 FREEZ - ALL, 71 -- 6830-00-902-2430

===== Product Identification =====

Product ID:#430 FREEZ - ALL, 71

MSDS Date:01/01/1987

FSC:6830

NIIN:00-902-2430

MSDS Number: BFVQG

=== Responsible Party ===

Company Name:AERVOE-PACIFIC/SAN LEANDRO, CA 94577

Emergency Phone Num:(415) 351-4860

CAGE:MO192

=== Contractor Identification ===

Company Name:AERVOE-PACIFIC CO, INC.

Address:1198 SA

WMILL RD

Box:City:GARDNERVILLE

State:NV

ZIP:89410

Country:US

Phone:(702)-782-0100

CAGE:33451

Company Name:AERVOE-PACIFIC/SAN LEANDRO, CA 94577

CAGE:MO192

===== Composition/Information on Ingredients =====

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III)

CAS:75-71-8

RTECS #:PA8200000

Fraction by Wt: 100%

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ozone Depleting Chemical:1

===== Hazards Identification =====

=====

Effects of Overexposure:MAY PRODUCE NARCOSIS IN HIGH CONCENTRATIONS OR
FROSTBITE ON DIRECT CONTACT

===== First Aid Measures =====

First Aid:EYES/SKIN: TREATMENT FOR FROSTBITE. SEE PHYSICIAN.
INHALATION: REMOVE FROM CONTAMINATED AREA. ARTIFICIAL RESPIRATION
AND OXYGEN IF BREATHING HAS STOPPED. SEE PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:NONE
Fire Fighting Procedures:WATER COOL CONTAINERS EXPOSED HEAT TO PREVENT
PRESSURE BUILD UP.
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE DUE TO
BUILD UP OF PRESSURE FROM EXTREME HEAT OR FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:CLEAR AREA AND VENTILATE TO REMOVE VAPORS.

===== Handling and Storage =====

Handling and Storage Precautions:DON'T STORE ABOVE 120F. DON'T STORE OR
USE NEAR HEAT, SPARKS, OR FLAME.
Other Precautions:DO NOT GET IN EYES. DON'T BREATHE VAPORS. AVOID SKIN
CONTACT. DON'T TAKE INTERNALLY.

===== Exposure Controls/Personal Protection =====

Ventilation:PROVIDE SUFFICIENT TO KEEP CONCENTRATIONS BELOW TLV
Protective Gloves:RECOMMENDED
Eye Protection:SAFETY GLASSES
Other Protective Equipment:AVOID PROLONGED OR REPEATED CONTACT. DON'T
BREATHE VAPORS.
Supplemental Safety and Health
MSDS DATE: 11 OCT 1985. WT/GAL: 11.04.

===== Physical/Chemical Properties =====

=====

Boiling Pt:B.P. Text:-21.6F
Vapor Density:>AIR
Evaporation Rate & Reference:FASTER THAN ETHER
Percent Volatiles by Volume:100%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:OPEN FLAMES AND HIGH TEMPERATURES
Hazardous Decomposition Products:PHOSGENE, FLUORIDES, HALOGEN ACIDS

===== Disposal Considerations =====

Waste Disposal Methods:ALLOW TO EVAPORATE. D
ON'T INCINERATE CLOSED
CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this
information to their
particular situation.