

Company Name: TURCO PRODUCTS, INC.

Address:7300 BOLSA AVENUE

City:WESTMINSTER

State:CA

ZIP:92684-3600

Info Phone Num:714-890-3600

Emergency Phone Num:614-387-6200

CAGE:D9808

=== Contractor Identification ===

Company Name: TURCO PRODUCTS, INC.

Address:7300 BOLSA AV

Ε

Box:6200

City:WESTMINSTER

State:CA

ZIP:92684-3600

Country:US

Phone:614-387-6200

CAGE:0BYN5

Company Name: TURCO PRODUCTS, INC.

Box:6200

City:PHILADELPHIA

State:PA ZIP:19103 Country:US

Phone:215-419-7890

CAGE:D9808

======= Composition/Information on Ingredients ========

Ingred Name: METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000 Fraction by Wt: 55%

OSHA PEL:500 PPM/C,1000; Z2 ACGIH TLV:50 PPM, A2; 9192

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:PHENOL

CAS:108

-95-2

RTECS #:SJ3325000 Fraction by Wt: 20% OSHA PEL:S, 5 PPM

ACGIH TLV:S, 5 PPM; 8990

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: SODIUM CHROMATE (SARA III)

CAS:7775-11-3

RTECS #:GB2955000 Fraction by Wt: 1%

Other REC Limits:0.1MG/M*3(C)(CRO*3) OSHA PEL:0.1 PPM CRO3;CEILING ACGIH TLV:0.05 MG CR/M3; 9192

EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

=========== Hazards Identification ==========================

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards A

cute and Chronic:EYES:VAPORS,MODERATE TO SEVERE

IRRITATION.LIQUID,SEVERE DAMAGE MAY CAUSE BLINDNESS;SKIN:CHEMICAL BURNS,POSSIBLE NECROSIS,DEFATTING.MAY BE ABSORBED THROUGH SKIN IN TOXIC AMOUNTS.CHROMATES ARE SKIN SENS

ITIZERS;INHALATION:DIZZINESS,HEADACHE,INTOXICATION.INHALATION OF MIST--CONTINUED ON SIGNS & SYMPTOMS OF OVEREXPOSURE--

Explanation of Carcinogenicity: CHROMIUM VI IS HUMAN CARCINOGEN BY IARC, NTP.

Effects of Overexposure:CONT'D FROM HEALTH HAZARDS:OF CHROMATE CONTAINING MATERIALS MAY CAUSE PERMANENT DAMAGE TO UPPER RESPIRATORY TRACT & MAY CAUSE LUNG CANCER RISK;INGESTION:SEVERE IRRITATION TO GASTROINTESTINAL TRACT,MAY BE HARMFUL OR FATAL IF SWALLOWED.TOXICEFFECTS MAY NOT APPEAR IMMEDIATELY.

Medical Cond Aggravated by Exposure: PERSONS WITH IMPAIRED CARDIO-PULMONARY FUNCTION. THIS MAY BE AGGRAVATED BY SMOKING.

First Aid:EYES:FLUSH WITH PLENTY OF WATER.SEE DOCTOR

WATER.WASH WITH SOAP & WATER.RINSE.IF IRRITATION PERSISTS, SEE DOCTOR; INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN/CPR IF NEEDED. SEE DOCTOR; INGE STION: DO NOT INDUCE VOMIT. IF CONSCIOUS, GIVE LARGE AMOUNTS OF MILK OR WATER. SEE DOCTOR. NOTHING BY MOUTH IF UNCONSCIOUS. ============= Fire Fighting Measures ======================== Flash Point Method:SCC Flash Point: NONE TO BOIL Extinguishing Media:CO*2,FOAM,WATER FOG. Fire Fighting Procedures: WEAR SCBA. ANY WA TER RUNOFF MAY CONTAIN HEXAVALENT CHROME & SHOULD NOT BE ALLOWED TO ENTER SEWER OR WATERWAYS. Unusual Fire/Explosion Hazard: THERMAL DECOMPOSITION MAY PRODUCE TOXIC OXIDES OF CARBON & CHLORINE. DRUMS EXPOSED TO 100F(38C) & ABOVE MAY DEVELOP SUFFICIENT INTERNAL PRESSURE TO RUPTURE. ======== Accidental Release Measures ============= Spill Release Procedures: CONTAIN. STOP LEAK IF SAFE TO DO SO. VENTILATE. EVACUATE PERSONNEL. WEAR SCBA & PROTECTIVE **EQUIPMENT.ABS** ORB LIQUID IN INERT MATERIAL & PLACE IN DOT-APPROVED DRUMS.WASH AREA WITH WATER.COLLECT WASHINGS & P LACE IN DOT-APPROVED CONTAINERS. ============ Handling and Storage =========================== Handling and Storage Precautions: STORE IN COOL AREA, PROTECTED FROM SUNLIGHT, RAIN, STANDING WATER. USE CARE IN OPENING CONTAINERS TO AVOID SPURTING. Other Precautions: VAPORS HEAVIER THAN AIR. WILL COLLECT IN LOW AREAS.WEAR SCBA & SAFETY LINE WHEN ENTERING THESE AREAS.KEEP WATCH BY ANOTHER PERSON AT SAFE DISTANCE.PERSONS WEARING CONTACT LENSES, WEAR VAPOR-PROOF GOGGLE S.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: SCBA, (RESPIRATORS NOT RECOMMENDED BECAUSE OF THE SHORT BREAKTHROUGH TIME OF METHYLENE CHLORIDE & ITS POOR WARNING PROPERTIES), IF TLV IS EXCEEDED.

Ventilation: MECHANICAL (GENERAL) VENTILATION TO MAINTAIN BELOW TLV.

Protective Gloves:NEOPRENE.

Eye Protection: GOGGLES.

:SKIN:FLUSH WITH

Other Protective Equipment: BOOTS,

APRON & PROTECTIVE SUIT IF REQUIRED TO AVOID PROLONGED OR REPEATED SKIN CONTACT.

Work Hygienic Practices:WASH WITH SOAP & WATER BEFORE SMOKING OR EATING.REMOVE CONTAMINATED CLOTHING & LAUNDER.DISCARD CONTAMINATED SHOES.

Supplemental Safety and Health

MFGR,8/31/82,ADVISED THAT P/NS 5469 & 6037 ARE THE SAME;P/N 5469 MEETS MIL-R-81294A REQUIREMENTS,WHILE P/N 6037 CONFORMS REV"B" OF MIL-R-81294(TYPE I MATL).SEE P/N IND"A"DATA FOR TURCO P/N6037

======== Physical/Chemic al Properties ==========

HCC:C1
Boiling Pt:B.P. Text:105F(41C)
Vapor Pres:400
Vapor Density:>1
Spec Gravity:1.14
pH:3.1

Evaporation Rate & Damp; Reference: