

GENERAL ELECTRIC CO;SILICONE PRODUCTS DEPARTMENT -- G-641 -- 6850-00-927-9461
===== Product Identification =====

Product ID:G-641
MSDS Date:01/01/1987
FSC:6850
NIIN:00-927-9461
MSDS Number: BFWZY
=== Responsible Party ===
Company Name:GENERAL ELECTRIC CO;SILICONE PRODUCTS DEPARTMENT
Emergency Phone Num:518-237-3330
CAGE:01139
=== Contractor Identification ===
Company Name:GENERAL ELECTRIC CO, SILI
CONE PRODUCTS BUSINESS DEPT
Address:260 HUDSON RIVER RD
Box:City:WATERFORD
State:NY
ZIP:12188
Country:US
Phone:518-237-3330/800-332-3390
CAGE:01139

===== Composition/Information on Ingredients =====

Ingred Name:ZINC OXIDE
RTECS #:ZN4810000

Ingred Name:POLYDIMETHYL SILOXANE
CAS:9016-00-6
RTECS #:TQ2690000

===== Hazards Identification =====

Effects of Overexposure:EYE CNTCT MAY CAUSE TEMP IRRIT. NO KNOWN HEALTH
HAZ.

=====

=== First Aid Measures =====

First Aid:IF EYE CNTCT TAKES PLACE, FLUSH EYES W/WATER 15 MIN. IF IRRIT PERSISTS, HAVE PERSON EXAMINED BY MD. SKIN CNTCT: WASH W/MILD SOAP & WATER.

===== Fire Fighting Measures =====

Flash Point:>500F TOC
Extinguishing Media:ALL STANDARD FIRE FIGHTING AGENTS SUITABLE
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:FIRE MAY GENERATE TOXIC ZINC FUMES,SIO*2CO,CO*2 ABOVE 575F.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP SM AMTS. SCOOP LG AMTS INTO WASTE CNTNR.

===== Handling and Storage =====

Handling and Storage Precautions:NONE
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE
Ventilation:NOT NEEDED
Protective Gloves:NONE
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:>600F,>316C
Vapor Pres:1
Spec Gravity:2.75
Solubility in Water:NEGLIGIBLE
Appearance and Odor:OPAQUE GREASE, ESSENTIALLY ODORLESS
Percent Volatiles by Volume:0.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE KNOWN
Hazardous Decomposition Products:THERMAL DECOMP TEMP >575F WILL EVOLVE SIO*2CO,CO*2,ZN FUME

=====

==== Disposal Considerations =====

Waste Disposal Methods:REC LANDFILL. INCINERATION WILL GENERATE TOXIC ZINC METAL FUMES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document s

hould seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.