Product ID:ROYCO 783D; SHELL ROBOTIC FLUID D MSDS Date:03/25/1986 FSC:9150 NIIN:00-935-9810 **MSDS Number: BFYCC** === Responsible Party === Company Name: ROYAL LUBRICANTS CO., INC. Address:RIVER ROAD Box:518 City:E.HANOVER State:NJ ZIP:07936 Country:US Info Phone Num:201-887-7410 Emergency Phone Num:201-887-7410 CAGE:07950 === Contractor Identificat ion === Company Name: ROYAL LUBRICANTS COMPANY INC. Address:215 MERRY LN Box:518 **City:EAST HANOVER** State:NJ ZIP:07936 Country:US Phone:973-887-7411/7410 CAGE:07950

Ingred Name:HYDROTREATED LIGHT NAPHTHENIC DISTILLATE CAS:64742-53-6 RTECS #:PY8036000 Fraction by Wt: >75.0% Other REC Limits:5MG/CUM AS OIL MIST

Ingred Name:OTHER COMPONENTS (NOT SPECIFIED) Fraction by Wt: 200F/93C (COC) Lower Limits:1.0 Upper Limits:7.0 Extinguis hing Media:CO\*2,DRY CHEMICAL POWDER OR FOAM Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA. Unusual Fire/Explosion Hazard:DO NOT USE WATER JET; USE REASONABLE CARE. Spill Release Procedures: USE PROPER PERSONAL PROTECTION; USE SUITABLE INERT ABSORBENT MATERIALS AND RECOVER FOR PROPER DISPOSAL. Handling and Storage Precaut ions:STORE IN COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES. KEEP CONTAINER CLOSED WHEN NOT IN USE. Other Precautions: AVOID CONTACT WITH SKIN AND EYES AND CLOTHES; DO NOT INHALE VAPORS/MIST; WASH THOROUGHLY AFTER EACH USE; DO NOT USE CONTAMINATED CLOTHES. Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORG VAPORS/MIST IF ABOVE TLV. Ventilation:MECH(GEN)O R LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION Protective Gloves:NEOPRENE Eye Protection:SAFETY/CHEM GOGGLES Other Protective Equipment: FULL PROTECTIVE CLOTHING, SAFETY SHOWER, EYE WASH STATION Supplemental Safety and Health THE COMPONENTS OF THIS PRODUCT ARE LISTED ON THE EPA/TSCA INVENTORY OF CHEMICAL SUBSTANCES.

HCC:V6 Boiling Pt:B.P. Text:310F/154C Vapor Density:>5.0 Spec Gravity:0.85 Solubility in Water:NEG

## LIGIBLE Appearance and Odor:RED CLEAR FLUID WITH SLIGHT PETROLEUM ODOR

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:HEAT,OPEN FLAMES Hazardous Decomposition Products:CO AND UNIDENTIFIED ORG COMPDS MAY BE FORMED ON COMBUSTION.

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIALS IN ACCORDANCE WITH LO CAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this info rmation to their particular situation.