

GEORGE SENN COMPANY,INC -- O-C-1889 CLNG CMPD SOLVENT TECH. -- 6850-00-941-5054
===== Product Identification =====

Product ID:O-C-1889 CLNG CMPD SOLVENT TECH.

MSDS Date:01/01/1985

FSC:6850

NIIN:00-941-5054

MSDS Number: BFYJT

=== Responsible Party ===

Company Name:GEORGE SENN COMPANY,INC

CAGE:KO352

=== Contractor Identification ===

Company Name:GEORGE SENN COMPANY,DIV. OF GLOBE SOLVENTS

Address:220

0 E WESTMORELAND ST

Box:City:PHILADELPHIA

State:PA

ZIP:19134-3229

Country:US

CAGE:KO352

Company Name:GLOBE SOLVENTS CO INC

Box:City:PHILADELPHIA

State:PA

Country:US

Phone:215-426-1400

CAGE:72829

===== Composition/Information on Ingredients =====

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8925000

Fraction by Wt: 70%

OSHA PEL:500 PPM

ACGIH TLV:100 PPM; 9293

Ingred Name:METHYLENE CHLORIDE (DICHLOROMETHANE) (SARA III)

CAS:75-09-2

RTECS #:PA8050000

Fraction by Wt: 25%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:500 PPM; Z-2

ACGIH TLV:50 PPM, A2; 9394

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:PERCHLOROETHYLENE (TETRACHLOROETHYLENE) (SARA III)

CAS:127-18-4

RTECS #:KX3850000

Fraction by Wt: 5%

OSHA PEL:100 PPM

ACGIH TLV:25PPM/100,A3 STEL;94

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

=====
Hazards Identification
=====

Effects of Overexposure:LACK OF COORDINATION TO UNCONSCIOUSNESS

=====
First Aid M
asures
=====

First Aid:MOVE TO FRESH AIR,USE ARTIFICIAL RESPIRATION IF BREATHING STOPPED,ADMINISTER OXYGEN WHEN BREATHING HAS BEEN RESTORED.NEVER ADMINISTER ADRENALIN!!CALL A DOCTOR;INSTRUCT HIM NOT TO USE ADRENALIN!!

=====
Fire Fighting Measures
=====

Flash Point:NLT 200F

Extinguishing Media:NONE

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:ADEQUATE VENTILATION MUST BE PROVIDED.WORKMEN PROVIDED WTH FRESH AIR MASKS OR SENT TO FRESH AIR.RECOVER FREE LIQUID,REMOVE AL IGNITION SOURCES,VENTILATE ENCLOSED AREAS,OPEN ALL WINDOWS AND DOORS.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED.KEEP AWAY FROM HEAT AND OPEN FLAMES,OR SPARKS.

Other Precautions:USE ONLY WITH ADEQUATE VENTILATION.AVOID PROLONGED OR REPEATED BR

EATHING OF VAPORS OR CONTACT WITH SKIN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FRESH AIR SUPPLIED MASKS.

Ventilation:LOCAL-YES.FACE VELOCITY 60 PPM

Protective Gloves:NEOPRENE;VITON

Eye Protection:GOGGLES,OR FACE SHIELD

Other Protective Equipment:NEOPRENE APRON

Supplemental Safety and Health

THIS COMMODITY IS NOT REGULATED BY DOT,IMCO,IAT,6D AND AFR 71-4 PER
STAN JAKUBOWSKI MATERIALS TO AVOID:OXYGEN,STRONG OXIDIANTS,
HYDROXIDES OR SODI
UM AND POTASSIUM.

===== Physical/Chemical Properties =====

HCC:T4

Boiling Pt:B.P. Text:130

Spec Gravity:0.977

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

SEE SUPPLEMENTAL DATA

Stability Condition to Avoid:ANHYDROUS ALUMINUM CHLORIDE IN THE
PRESENCE OF AROMATIC COMP

Hazardous Decomposition Products:CARBON MONOXIDE,HYDROGEN
CHLORIDE,TRA
CES OF PHOSGENE

===== Disposal Considerations =====

Waste Disposal Methods:RECOVER FREE LIQUID,FORCE EVAPORATION OR
VENTILATION,STAY UPWIND AND/OR USE PERSONAL PROTECTIVE
EQUIPMENT.USE APPROVED CONTAINER TO STORE FREE LIQUID.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied

, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.