OLIN HUNT SPECIALTY PRODUCTS INC.SUBS.OF OLIN CORP -- 709972 TYPE B STARMAT DEVLPR & REPL,PART A -- 6750-00-945-6522

Product ID:709972 TYPE B STARMAT DEVLPR & REPL, PART A MSDS Date:10/18/1985 FSC:6750 NIIN:00-945-6522 Kit Part:Y MSDS Number: BFYQJ === Responsible Party === Company Name: OLIN HUNT SPECIALTY PRODUCTS INC. SUBS. OF OLIN CORP Address:5 GARRET MOUNTAIN PLAZA **City:WEST PATERSON** State:NJ ZIP:07424 Info Phone Num:203-35 6-3449 Emergency Phone Num:800-654-6911 CAGE:OLINH === Contractor Identification === Company Name: FUJI HUNT PHOTOGRAPHIC CHEMICALS INC Address:W 115 CENTURY RD Box:988 City:PARAMUS State:NJ ZIP:07653-0988 Country:US Phone:201-967-9603 CAGE:73877 Company Name: OLIN HUNT SPECIALTY PRODUCTS INC. Address:5 GARRET MOUNTAIN PLAZA **City:WEST PATERSON** State:NJ ZIP:07424 Country:US Phone:203-789-5436 CAGE:OLINH

Ingred Name:POTASSIUM SUL

FITE CAS:10117-38-1 RTECS #:WT3530000 Fraction by Wt: 15-20% OSHA PEL:NO DATA ACGIH TLV:NO DATA

Ingred Name:POTASSIUM HYDROXIDE (SARA III) CAS:1310-58-3 RTECS #:TT2100000 Fraction by Wt: 6-9% OSHA PEL:C, 2 MG/M3 ACGIH TLV:C 2 MG/M3; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:HYDROQUINONE (SARA III) CAS:123-31-9 RTECS #:MX3500000 Fraction by Wt: 1-3% OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000

=

Reports of Carcinogenicity:NTP:NO IARC:NO Health Hazards Acute and Chronic:SEE SIGNS AND SYMPTOMS OF OVEREXPOSURE. Effects of Overexposure:MAY CAUSE SKIN IRRITATION ON REPEATED OR PROLONGED CONTACT.

Medical Cond Aggravated by Exposure:NONE NOTED.

First Aid:EYES:IMMEDIATELY FLUSH WITH CLEAN WARM WATER FOR 15 MINUTES AND GET MEDICAL ATTENTION;SK

IN:RINSE THOROUGHLY.WASH WITH MILD SOAP FOR 15 MINUTES.CALL A PHYSICIAN.

Flash Point:NONE Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM OR CARBON DIOXIDE Fire Fighting Procedures:WEAR SCBA. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS AND TO DISPOSE VAPORS. Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER.

Spill Release Procedures:A DD DRY ABSORBENT AND PLACE IN AN APPROPRIATE DOT CONTAINER AND SEAL.

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED Other Precautions:AVOID SKIN CONTACT.DO NOT BREATHE MIST.

====== Exposure Controls/Personal Protection ==========

Respiratory Protection:NOT NORMALLY NEEDED

Ventilation:LOCAL

EXHAUST RECOMMENDED.

Protective Gloves: RUBBER.

Eye Protection: SAFETY GLASSES, GOGGLES OR FACE SHIELD.

Other Protective Equipment: RUBBER APRON.

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING. REMOVE AND LAUNDER CONTAMINATED CLOTHING.

Supplemental Safety and Health

THIS IS PART A OF A 3-PART KIT. FOR PARTS B AND C,SEE PNI B AND C,SAME NSN. PART A CAT # 709972. WHOLE KIT # 810838.

HCC:B1 Boiling Pt:B.P. Text:212F (100C) Vapor Pres:15 Spec Gravity:1.27 pH:11.5 Evaporation Rate & amp; Reference:1.0 (WATER=1) Solubility in Water:COMPLETE Appearance and Odor:AQUEOUS SOLUTION. Percent Volatiles by Volume:55

Stability Indicator/Materials to Avoid:YES STRONG ALKALIES,OXIDIZING AGENTS. Stability Condition to Avoid:EXCESSIVE HEAT Hazardous Decomposition Products:NONE

Waste Dis

posal Methods:DISPOSE OF CONTAMINATED PRODUCT,EMPTY CONTAINERS AND MATERIAL USED IN CLEANING UP SPILLS OR LEAKS IN A MANNER APPROVED FOR THIS MATERIAL.CONSULT APPROPRIATE FEDERAL,STATE AND LOCAL REGULATORY AGENCIES TO ASCERTAIN PROPER DISPOSAL PROCEDURES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implie

d, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.