

GULF OIL PRODUCTS CO -- HARMONY 32, ARO PNEUMATIC LUBRICATING OIL, 29665 --
9150-00-966-8831

=====
===== Product Identification =====

Product ID:HARMONY 32, ARO PNEUMATIC LUBRICATING OIL, 29665

MSDS Date:09/18/1986

FSC:9150

NIIN:00-966-8831

MSDS Number: BFZXX

=== Responsible Party ===

Company Name:GULF OIL PRODUCTS CO

Box:2001

City:HOUSTON

State:TX

ZIP:77252

Country:US

Info Phone Num:800-424-9300 (CHEMT
REC)

Emergency Phone Num:415-233-3737

CAGE:3X578

=== Contractor Identification ===

Company Name:GULF OIL CO U.S. A DIV OF GULF OIL CORP

Box:1519

City:HOUSTON

State:TX

ZIP:77001

Country:US

CAGE:34252

Company Name:GULF OIL PRODUCTS CO DIV OF GULF OIL CORP

Address:8554 KATY FWY

Box:4256

City:HOUSTON

State:TX

ZIP:77210

Country:US

CAGE:3X578

=====
===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DEWAXED
(SEVERE), HEAVY PARAFFI

NIC
CAS:64742-65-0
RTECS #:PY8038501
Fraction by Wt: 99%
OSHA PEL:N/K
ACGIH TLV:5 MG/M3 (MFR)

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:EYE:LIQUID MAY CAUSE IRRITATION.
EXCESSIVE EXPOSURE TO VAPORS, FUMES MISTS MAY CAUSE IRRITATION.
SKIN:REPEATED AND/OR PROLONGED
CONTACT MAY CAUSE IRRITATION AND/OR
DERMATITIS. INHALATION:REPEATED OR PROLONGED EXPOSURE TO VAPORS,
FUMES OR MISTS MAY CAUSE IRRITATION OF RESPIRATORY TRACT. (EFTS OF
OVEREXP)
Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:HLTH HAZ:MASSIVE EXPOSURE TO VAPORS, FUMES OR
MIST MAY CAUSE HEADACHE, DIZZINESS AND/OR DROWSINESS (CNS
DEPRESSION). INGESTION:NOT EXPECTED TO BE ACUTELY TOXIC BY
INGESTION. SIGNS & SYMPS OF RESP TRACT IRRIT MAY INCL, BUT MAY NOT
LIM TO, ONE/MORE OF THE FOLLOWING, DEPENDING ON DOSE, LENGTH OF
EXPOSURE. (SUPDAT)
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF
RESP) . EYES:FLUSH IMMEDIATELY W/FRESH WATER FOR @ LEAST 15 MINS
WHILE HOLDING EYELIDS OPEN. IF IRRIT PERSISTS, SEE MD. SKIN:REMOVE
CONTACTAMD CLTHG. WASH THOROW/ SOAP & WATER. IF IRRITATIONS
LTS, SEEK MED
AID. INGEST:IF SWALLOWED, GIVE WATER/MILK TO DRINK & TELEPHONE FOR
MED ADIVSE. CONSULT MED PERS BEFORE INDUCING VOMIT. IF (SUPDAT)

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:410F,210C
Extinguishing Media:CO*2, DRY CHEMICAL, FOAM, WATER FOG.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT .
Unusual Fire/Explosion Hazard:DO NOT WELD, HEAT/DRILL CNTNR. RESIDUE
MAY IGNITE W/

EXPLO VIOLENCE IF HEATED SUFFICIENTLY. DO NOT USE
PRESS TO EMPTY DRUM/EXPLOSION MAY RESULT.

===== Accidental Release Measures =====

Spill Release Procedures:STOP SOURCE OF LEAK/RELEASE. CLEAN UP AS SOON
AS POSS. CONTAIN LIQ TO PVNT FURTHER CONTAM THE SOIL, SURF
WATER/GROUND WATER. USE ABSORB MATL/PUMPS. WHERE FEASABLE REMOVE
CONTAMD SOIL. FOLLOW PROPER RE PORTING PROCEDURES.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== H
andling and Storage =====

Handling and Storage Precautions:ELIMINATE ALL SOURCES OF IGNIT WHEN
HNDLG THIS MATL. KEEP CNTNRS TIGHTLY CLSD. DO NOT STORE/MIX
W/STRONG OXIDANTS.
Other Precautions:CLEAN EMPTY CONTAINERS PROPERLY & THORO BEFORE
DISCARDING OR REUSE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQD. NIOSH/MSHA APPRVD MECH FILTER
RESP OR NIOSH/MSHA APPRVD CHEM CARTRIDGE RESP FOR CONC EXCEEDIN
G

OCCUP EXPOS LIM. SPEC APPLIC MAY NECESSITATE USE OF MORE STRINGENT
RESP PROT EQUIP.

Ventilation:GENERAL VENT. LOCAL EXHAUST, IN ADDITION TO GENERAL VENT IS
REC WHEN EXPOSURE LIMIT IS EXCEEDED.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPROVED CHEM SAFETY GOGGLES

Other Protective Equipment:EYE WASH FOUNTAIN AND DELUGE SHOWER MEETING
ANSI DESIGN CRITERIA .

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health
FORMERLY HARMONY 44

. SPEC GRAV:0.87 @ 15.6/15.6C (H*2O=1). FIRST AID

PROC:MED ADVICE IS NOT AVAIL, TAKE PERSON TO NEAREST MED EMER
TREATMENT FACILITY. EFTS OF OVEREXP:NASAL DISCHARGE, NOSEBLEED ,
SORE THROAT, COUGHING, BRONCHITIS, PULMONARY EDEMA & DFCLTY IN
BREATHING.

===== Physical/Chemical Properties =====

Spec Gravity:SUPP DATA

Solubility in Water:INSOLUBLE

Appearance and Odor:CLEAR, COLORLESS OIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

MAY REACT WITH STRONG OXIDIZING AGENTS.

Stability Condition to Avoid: MAY REACT WITH STRONG OXIDIZING MATERIALS.

Hazardous Decomposition Products: NORMAL COMBUST FORMS CARBON DIOXIDE & WATER VAP; INCOMPLETE COMBUST CAN PRODUCE CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods: INCIN UNDER CONTROLLED CNDTNS/DISPOSE OF IN SECURE CHEM LANDFILL (ABSORB MATL). DISPOSE OF THIS MATL I/A/W LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.