| BEESTON,INC BG 14;SILICONE GREASE 6850-00-975-0712 |
|--|
| |
| Product ID:BG 14;SILICONE GREASE MSDS Date:01/01/1987 |
| FSC:6850 |
| NIIN:00-975-0712 |
| MSDS Number: BGBGF |
| === Responsible Party === |
| Company Name:BEESTON,INC. |
| Box:1116 |
| City:SCARBOROUGH State:ME |
| ZIP:04074 |
| Country:US |
| Info Phone Num:207-883-5541 |
| Emergency Phone Num:207-883-5541 |
| CAGE:J0840 |
| === Contractor Identification === Company Name:BEESTON |
| Address:540 DEERING AV |
| Box:1116 |
| City: |
| SCARBOROUGH |
| State:ME |
| ZIP:04074 |
| Country:US Phone:207-883-5541 |
| CAGE:43728 |
| Company Name:BEESTON,INC. |
| Box:1116 |
| City:SCARBROUGH |
| State:ME |
| ZIP:04074 |
| Country:US Phone:207-883-5541 |
| CAGE:J0840 |
| |
| ======= Composition/Information on Ingredients ======== |
| Ingred Name:SILICONE GREASE |
| Fraction by Wt: 100% |
| ====================================== |
| |

Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:YES Health Hazards Acute and Chronic:ACUTE:PER MSDS,CONTAINS NO HAZAR

| DOUS MATERIAL/INGREDIENTS;MAY BE MILDLY IRRITANT TO EYES OR SKIN ON PROLONGED CONTACT. CHRONIC:NOT KNOWN. Effects of Overexposure:NOT CONSIDERED HAZARDOUS PER MSDS;MAY BE MILD IRRITANT TO EYES OR SKIN ON PROLONGED CONTACT. Medical Cond Aggravated by Exposure:NO DATA IS AVAILABLE. |
|--|
| ====================================== |
| First Aid:EYES:FLUSH WITH LARGE AMOUNT OF WATER, CALL A PHYSICIAN IF NECESSARY. SKIN:WASH THOROUGHLY WITH SOAP AND WATER. |
| ======= Fire Fighting Measures ============== |
| Flash Point:NONE Extinguishing Media:NONE NOTED;USE SUITABLE MEDIA FOR SURROUNDING FIRES. |
| Fire Fighting Procedures:NONE NOTED. Unusual Fire/Explosion Hazard:NONE NOTED |
| ======== Accidental Release Measures ========== |
| Spill Release Procedures:USE PROPER PERSONAL PROTECTION;WIPE UP MATERIAL;RESIDUE IS SLIPPERY,APPLY SAWDUST OR SWEEPING COMPOUND AND COLLECT FOR PROPER DISPOSAL. |
| ====================================== |
| ing and Storage ==================================== |
| Handling and Storage Precautions:STORE IN COOL & DRY AREA;KEEP AWAY FROM HEAT,OPEN FLAMES. |
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:NOT NEEDED UNDER NORMAL USE.USE WITH ADEQUATE VENTILATION. |
| Ventilation:MECHANICAL OR GENERAL TO KEEP ADEQUATE VENTILATION. |

Protective Gloves:IMPERVIOUS Eye Protection:SAFETY GLASSES

Other Protective Equipment:FULL SKIN PROTECTION.
Work Hygienic Practices:AVOID CONTAC

T WITH EYES AND SKIN.DO NOT BREATHE VAPORS/MIST IF CREATED.
Supplemental Safety and Health
MSDS RECEIVED BY DGSC:NOV 6,1987.

======== Physical/Chemical Properties ===========

HCC:N1

Spec Gravity:1.0

Solubility in Water: NEGLIGIBLE

Appearance and Odor:LIGHT GRAY,TRANSLUCENT

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES
AVOID CONTACT WITH MATERIALS THAT REACT WITH WATER.
Stability Condition to Avoid:EXTREME
HEAT
Hazardous Decomposition Products:NONE NOTED

======= Disposal Considerations ==============

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be ac curate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.