XEROX CORP -- FILM REMOVER, 8R27 -- 6810-00-983-8551 Product ID:FILM REMOVER, 8R27 MSDS Date:10/20/1986 FSC:6810 NIIN:00-983-8551 MSDS Number: BGBLT === Responsible Party === Company Name: XEROX CORP Address:367 ORCHARD ST Box:1540 City:ROCHESTER State:NY ZIP:14644 Info Phone Num:800 828 6571 Emergency Phone Num:716 422 2177 CAGE:0E6G9 === Contractor Identification === Company Name: XEROX CORP Address:300 MAIN ST NO 27C City:EA ST ROCHESTER State:NY ZIP:14645 Country:US Phone:800-828-6571; 800-351-2024 CAGE:0E6G9 Company Name: XEROX CORPORATION Address: 100 CLINTON AVE SOUTH Box:City:ROCHESTER State:NY ZIP:14644-1877 Country:US Phone:800-828-6571/716-422-2177 CAGE:26921 ======= Composition/Information on Ingredients ======== Ingred Name: ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192

Fraction by Wt: 100%

====== Hazards Id

entification ===========
LD50 LC50 Mixture:ORAL LD50:5.84G/KG (RATS) PRAC NON-TOXIC Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:DERMAL LD50:>16 G/KG (RABBITS) PRACTICALLY NON-TOXIC.EYE IRRITATION:(RABBITS) MILDLY-IRRITATING. SKIN IRRITATION:POTENTIALLY IRRITATING. THIS MATERIAL HAS BEEN TESTED & EVALUATED BY XEROX CORPORATION. WHEN USED AS INTENDED, IT DOES NOT REPRESENT A HEALTH OR SAFETY HAZARD. Explanation of Carcinogenicity:CARCINOGENS:NONE PRESENT (MFR). Effects of Overexposure:CENTRAL NERVOUS SYSTEM DEPRESSION, CARDIOVASCULAR & RESPIRATORY DEPRESSION & GASTROINTESTINAL IRRITATION. PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE DEFATTING OF THE SKIN. Medical Cond Aggravated by Exposure:N/K
======================================
First Aid:EYES:FLUSH THROUGHLY W/H*20 FOR AT LEAST 15 MINUTES. SKIN:WASH THOROUGHLY W/SOAP & H*2O. INHALATION:REMOVE FROM EXPOSURE. INGESTION:DILUTE STOMACH CONTENTS W/SEVERAL GLASSES OF WATER. ADDITIONAL INFOR MATION:CALL PHYSICIAN. FURTHER INFORMATION ON FILE IN POISINDEX.
=========== Fire Fighting Measures ============
Flash Point Method:TCC Flash Point:12 C (53 F) Lower Limits:2.0 Upper Limits:12.0 Extinguishing Media:SM FIRE: CO*2, DRY CHEM. LG: ALCOHOL-TYPE FOAM. Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT . USE WATER SPRAY TO COOL CONTAINERS. Unusual Fire/Explosion Hazard: A MODERATED EXPLOSION HAZARD OCCURS WHEN

THIS MATERIAL IS EXPOSED TO HEAT OR FLAMES.

====== Handling and Stor

Neutralizing Agent:N/K

======== Accidental Release Measures ============

WATER. LARGE SPILLS SHOULD BE COLLECTED FOR DISPOSAL.

Spill Release Procedures: USE ADEQUATE VENTILATION. ELIMINATE SOURCES OF IGNITION. SMALL SPILLS SHOULD BE FLUSHED W/LARGE QUANTITIES OF

age =============
Handling and Storage Precautions:DO NOT STORE NEAR HEAT, FLAMES, SPARKS, OR STRONG OXIDANTS OR IN ALUMINUM CONTAINERS. KEEP CONTAINERS CLOSED.
Other Precautions:AVOID HEAT, SPARKS & OPEN FLAMES.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN . NONE DURING NORMAL USE. FOR LARGE SPILLS, WEAR AIR-SUPPLIED MASKS (MFR).  Ventilation:VENTILATION A  PPROPRIATE FOR CONDITIONS OF USE.CONSULT INDUSTRIAL HYGIENIST/SAFETY SPECIALIST FOR SPECIFIC GUIDANCE Protective Gloves:WEAR RUBBER OR VINYL COATED GLOVES.  Eye Protection:CHEMICAL WORKERS GOGGLES .  Other Protective Equipment:NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT.  Work Hygienic Practices:N/K Supplemental Safety and Health CARCINOGENITY:FPN
========= Physical/Chemical Properties ==========
HCC:F3

Boiling Pt:B.P. Text:180F, 82C

Melt/Freeze Pt:M.P/F.P T

ext:-89C(-128F)

Decomp Temp:Decomp Text:N/K

Vapor Pres:33 Vapor Density:2.07 Spec Gravity:0.79

Evaporation Rate & Dr. Reference: 2.4, N-BUTYLACETATE=1

Solubility in Water: COMPLETE

Appearance and Odor:CLEAR LIQUID, ALCOHOL ODOR

Percent Volatiles by Volume:100

Corrosion Rate:

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

ANHYDRIDE, ISOCYANITE, MONOMER & ORGANOMETALLIC COMBINATIONS, STRONG OXIDANTS, ETHYLENE OXIDE, OLEUM.

Stabil

ity Condition to Avoid:N/K	
Hazardous Decomposition Products: CARBON MONOXIDE, C	CARBON DIOXIDE

====== Disposal Considerations ==========

Waste Disposal Methods: ABSORB LIQUID ON VERMICULATE OR OTHER ABSORBANT MATERIAL OR ATOMIZE INTO AN INCINERATOR WHERE PERMITTED. DISPOSE ACCORDING TO LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.