

XEROX CORP -- FILM REMOVER, 8R27 -- 6810-00-983-8551

=====
Product Identification
=====

Product ID:FILM REMOVER, 8R27

MSDS Date:10/20/1986

FSC:6810

NIIN:00-983-8551

MSDS Number: BGBLT

=== Responsible Party ===

Company Name:XEROX CORP

Address:367 ORCHARD ST

Box:1540

City:ROCHESTER

State:NY

ZIP:14644

Info Phone Num:800 828 6571

Emergency Phone Num:716 422 2177

CAGE:0E6G9

=== Contractor Identificatio

n ===

Company Name:XEROX CORP

Address:300 MAIN ST NO 27C

City:EAST ROCHESTER

State:NY

ZIP:14645

Country:US

Phone:800-828-6571; 800-351-2024

CAGE:0E6G9

Company Name:XEROX CORPORATION

Address:100 CLINTON AVE SOUTH

Box:City:ROCHESTER

State:NY

ZIP:14644-1877

Country:US

Phone:800-828-6571/716-422-2177

CAGE:26921

=====
Composition/Information on Ingredients
=====

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 100%

OSHA PEL:400 PPM/500 STEL

A

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50:5.84G/KG (RATS) PRAC NON-TOXIC
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:DERMAL LD50:>16 G/KG (RABBITS)
PRACTICALLY NON-TOXIC.EYE IRRITATION:(RABBITS) MILDLY-IRRITATING.
SKIN IRRITATION:POTENTIALLY IRRITATING. THIS MATERIAL HAS BEEN
TESTED & EVALUATED BY XEROX
CORPORATION. WHEN USED AS INTENDED, IT
DOES NOT REPRESENT A HEALTH OR SAFETY HAZARD.
Explanation of Carcinogenicity:CARCINOGENS:NONE PRESENT (MFR).
Effects of Overexposure:CENTRAL NERVOUS SYSTEM DEPRESSION,
CARDIOVASCULAR & RESPIRATORY DEPRESSION & GASTROINTESTINAL
IRRITATION. PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE DEFATTING
OF THE SKIN.
Medical Cond Aggravated by Exposure:N/K

=====
===== First Aid Measures =====

First Aid:EYES:FLUSH THOROUGHLY W/H*20 FOR AT LEAST 15 MINUTES.
SKIN:WASH THOROUGHLY W/SOAP & H*20. INHALATION:REMOVE FROM
EXPOSURE. INGESTION:DILUTE STOMACH CONTENTS W/SEVERAL GLASSES OF
WATER. ADDITIONAL INFORMATION:CALL PHYSICIAN. FURTHER INFORMATION
ON FILE IN POISINDEX.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:12 C (53 F)
Lower Limits:2.0
Upper Limits:12.0
Extinguishing Media:SM FIRE: CO*2, DRY CHEM. LG: ALCOHOL-TYPE FOAM.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT . USE WATER SPRAY TO COOL CONTAINERS.
Unusual Fire/Explosion Hazard:A MODERATED EXPLOSION HAZARD OCCURS WHEN
THIS MATERIAL IS EXPOSED TO HEAT OR FLAMES.

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE ADEQUATE VENTILATION. ELIMINATE SOURCES OF
IGNITION. SMALL SPILLS SHOULD BE FLUSHED W/LARGE QUANTITIES OF
WATER. LARGE SPILLS SHOULD BE COLLECTED FOR DISPOSAL.

N

neutralizing Agent:N/K

=====
Handling and Storage
=====

Handling and Storage Precautions:DO NOT STORE NEAR HEAT, FLAMES,
SPARKS, OR STRONG OXIDANTS OR IN ALUMINUM CONTAINERS. KEEP
CONTAINERS CLOSED.

Other Precautions:AVOID HEAT, SPARKS & OPEN FLAMES.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR
EXPOSURE OF CONCERN . NONE DURING NORMAL USE. FOR LARGE SPIL
LS,

WEAR AIR-SUPPLIED MASKS (MFR).

Ventilation:VENTILATION APPROPRIATE FOR CONDITIONS OF USE.CONSULT
INDUSTRIAL HYGIENIST/SAFETY SPECIALIST FOR SPECIFIC GUIDANCE

Protective Gloves:WEAR RUBBER OR VINYL COATED GLOVES.

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE REQUIRED WHEN USED AS INTENDED IN XEROX
EQUIPMENT.

Work Hygienic Practices:N/K

Supplemental Safety and Health

CARCINOGENITY:FPN

=====
Physical/Chemical Properties
=====

HCC:F3

Boiling Pt:B.P. Text:180F, 82C

Melt/Freeze Pt:M.P/F.P Text:-89C(-128F)

Decomp Temp:Decomp Text:N/K

Vapor Pres:33

Vapor Density:2.07

Spec Gravity:0.79

Evaporation Rate & Reference:2.4, N-BUTYLACETATE=1

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR LIQUID, ALCOHOL ODOR

Percent Volatiles by Volume:100

Corrosion Rate:

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

ANHYDRIDE, ISOCYANITE, MONOMER & ORGANOMETALLIC

COMBINATIONS, STRONG

OXIDANTS, ETHYLENE OXIDE, OLEUM.

Stability Condition to Avoid:N/K

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:ABSORB LIQUID ON VERMICULATE OR OTHER ABSORBANT MATERIAL OR ATOMIZE INTO AN INCINERATOR WHERE PERMITTED. DISPOSE ACCORDING TO LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This i

nformation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.