View NSN Online: https://aerobasegroup.es/nsn/9150-00-985-7232

## WITCO CHEMICAL CORP SOUTHWEST PETRO-CHEM INC DIV -- SE 861 0632 -- 9150-00-985-7232

Product ID:SE 861 0632 MSDS Date:02/04/1991

FSC:9150

NIIN:00-985-7232

MSDS Number: BGBSJ === Responsible Party ===

Company Name: WITCO CHEMICAL CORP SOUTHWEST PETRO-CHEM INC DIV

Address:220 W WATERMAN ST

Box:1282 City:WICHITA State:KS

ZIP:67201 Country:US

Info Phone Num:913-782-580

0

Emergency Phone Num:913-782-5800

Preparer's Name: RAY LAWSON

CAGE:1F469

=== Contractor Identification ===

Company Name: EXXON CO USA-SOUTHWEST GREASE BUSINESS UNIT

Address:1400 S HARRISON

Box:1974 City:OLATHE State:KS ZIP:66061

Country:US

Phone:913-656-3701/800-424-9300(CHEMTREC)

CAGE:70878

Company Name: WITCO CHEMICAL CORP GOLDEN BEAR OIL CO DIVISION

Address: MANOR & NORRIS ROADS

Box:5446 City:OILDALE State:CA

ZIP:93388-5446

Country:US

Phone:805-393-7110/800-424-9300(CHEMTREC)

CAGE:1F469

======

===== Composition/information on ingredients =======
Ingred Name:PETROLEUM HYDROCARBON Other REC Limits:NONE SPECIFIED
Ingred Name:ADDITIVES CAS:24937-78-8 Other REC Limits:NONE SPECIFIED
========== Hazards Identification ============
LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT AVAILABLE Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-NO DATA AVAILABLE.CHRONIC-NONE
WHEN USED WITH GOOD PERSONAL HYGIENE PRACTICE. MAY OTHERWISE CAUSE SKIN AND EYE IRRITATION UPON PROLONGED OR REPEATED CONTACT.  Effects of Overexposure:MAY CAUSE SKIN AND EYE IRRITATION UPON PROLONGED OR REPEATED CONTACT.  Medical Cond Aggravated by Exposure:PREEXISTING SKIN DISORDER MAY BE AGGRAVATED WITH THIS PRODUCT.
======================================
First Aid:INHALATION:REMOVE TO FRESH AIR.EYE:FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN.GET MEDICAL ATTENTION.SKIN:REMOVE EXCESS WITH CLOTH OR PAPER.WASH WITH SOAP & WATER.INGESTION:GET MEDICAL CARE IMMEDIATELY.
======================================
Flash Point:>302F,>150C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, DRY CHEMICAL, SAND OR EARTH.WATER MAY CAUSE FROTHING. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL
FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard:DENSE SMOKE
========== Accidental Release Measures ==========
Spill Release Procedures:TRANSFER BULK OF MIXTURE INTO ANOTHER CONTAINER.ABSORB RESIDUE WITH AN INERT MATERIAL SUCH AS EARTH,SAND, OR VERMICULITE. SWEEP UP AND DISPOSE AS SOLID WASTE.
============ Handling and Storage =============
Handling and Storage Precautions:STORAGE-KEEP CONTAINER CLOSED UNTIL READY TO

USE. Other Precautions: AVOID CONTACT WITH SKIN, EYES, AND CLOTHING. WASH THOROUGHLY AFTER HANDLING. WASH CLOTHING BEFORE REUSE. IF USED IN APPLICATIONS WHERE A MIST MAY BE GENERATED, OBSERVE A TWA/PEL OF 5MG/M3 FOR MINERAL O IL MIST (OSHA AND ACGIH). ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE. IF TLV EXCEED, WEAR A NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. Ventilation: NONE REQUIRED IN THE ABSENCE OF MIST. Protective G loves:RUBBER/OIL RESISTANT GLOVES RECOMMENDED Eye Protection: CHEMICAL SAFETY GOGGLES, FULL FACE SHIELD Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health ========= Physical/Chemical Properties =========== HCC:V6 Spec Gravity:0.868 Vis cosity:>100 Solubility in Water: NEGLIGIBLE @ 25C Appearance and Odor: AMBER COLOR OIL, MINERAL OIL ODOR ======== Stability and Reactivity Data ===========

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS SUCH AS HYDROGEN PEROXIDE, BROMIDE, AND CHROMIC ACID.

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND OXIDES OF NITROGEN

====== Disposal Considerations =======

========

Waste Disposal Methods:DISPOSE OF IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document sho

uld seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.