

AMOCO OIL COMPANY -- SUPERMIL GREASE NO.A-72832 -- 9150-00-985-7245

===== Product Identification =====

Product ID: SUPERMIL GREASE NO.A-72832

MSDS Date: 01/01/1987

FSC: 9150

NIIN: 00-985-7245

MSDS Number: BGBTS

=== Responsible Party ===

Company Name: AMOCO OIL COMPANY

Emergency Phone Num: (312) 856-5371

CAGE: 15958

=== Contractor Identification ===

Company Name: AMOCO OIL CO

Address: 200 E RANDOLPH DR

Box: C

City: CHICAGO

State: IL

ZIP: 60601-6401

Country: US

Phone: 312-856-3907- EM HLTH: 800 447-8735

CAGE: 15958

===== Composition/Information on Ingredients =====

Ingredient Name: DIESTER OIL (TAKE TLV AS OIL MIST)

ACGIH TLV: 5MG/CUM(OIL MIST)

Ingredient Name: LITHIUM SOAP THICKENER

CAS: 4485-12-5

RTECS #: WI4370000

ACGIH TLV: NOT SPECIFIED

===== Hazards Identification =====

Effects of Overexposure: PER MFR, NONE ILL EFFECTS EXPECTED; MAY IRRITATE EYES, SKIN OR RESPIRATORY TRACT ON PROLONGED CONTACT.

===== First Aid Measures =====

First Aid: INHALE: REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED; EYES/SKIN: FLUSH W LG AMTS H*2O FOR 15 MIN; INGEST: RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

===== Fire Fighting Measures =====

Extinguishing Media: DRY CHEMICAL (B-C), CO*2, WATERFOG, FOAM

Fire Fighting Procedures: USE NIOSH/MSHA APP

ROVED SCBA IN AN ENCLOSED
AREA.

Unusual Fire/Explosion Hazard:NONE NOTED

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;REMOVE ALL
IGNITION SOURCES & CONTAIN;USE ABSORBENT MATERIAL AND
RECOVER/PROPER DISPOSAL

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND VENTILATED
AREA.AVOID OPEN FLAMES/SPARKS.KEEP CONTAINER CLOSED WHEN NOT
IN
USE.

Other Precautions:AVOID CONTACT WITH SKIN AND EYES.DO NOT BREATHE
MIST/VAPORS.WASH THOROUGHLY AFTER EACH USE.DO NOT USE CONTAMINATED
CLOTHES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED SCBA/OR RESPIRATOR FOR
ORGANIC VAPOR/MIST>TL

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE
VENTILATION

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:FUL

L WORK CLOTHING TO PREVENT REPEATED OR
PROLONGED CONTACT.

Supplemental Safety and Health

MSDS REVISED:AUGUST 1981

===== Physical/Chemical Properties =====

HCC:V6

Solubility in Water:NEGLIGIBLE

Appearance and Odor:LAVENDER COLORED,SMOOTH TEXTURED GREASE.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid:HIGH TEMP,OPEN FLAMES,SPARKS

Hazardous Decomposition

Products:NONE NOTE BY THE MFR

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH
LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclai
ms all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.