

Product ID:CAMIE #1000 DRY LUBRICANT

MSDS Date:01/01/1985

FSC:9150

NIIN:00-989-2012

MSDS Number: BGCBF === Responsible Party ===

Company Name: CAMIE-CAMPBELL, INC. Address: 9225 WATSON INDUSTRIAL PK

City:ST. LOUIS

State:MO

ZIP:63126-1518

Country:US

Emergency Phone Num:NONE

CAGE:HO747

=== Contractor Identification ===
Company Name:CAMIE CAMPBELL

Address:9225 WAT SON INDUSTRIAL PK Box:City:ST. LOUIS

State:MO ZIP:63126 Country:US

Phone:314-968-3222

CAGE:31868

Company Name: CAMIE-CAMPBELL, INC Address: 9225 WATSON INDUSTRIAL PARK

Box:City:ST LOUIS

State:MO ZIP:63126 Country:US

Phone:314-968-3222

CAGE:HO747

======= Composition/Information on Ingredients ========

Ingred Name:(CF*2-CF*2)N,FLUOROCARBON POLYMER

Fraction by Wt: 1.0% ACGIH TLV:1000 PPM

Ingred Name: CHLORINATED SOLVENTS

Fraction by Wt: 84.0% ACGIH TLV:200 PPM

Ingred Name: HYDROCARBON P

ACGIH TLV:500 PPM ============= Hazards Identification ======================== Effects of Overexposure: DIZZINESS MAY OCCUR FROM BREATHING VAPORS First Aid:SPLASH:IN EYES-FLUSH WITH COPIOUS QUANTITIES OF WATER.ON SKIN-WASH WITH SOAP & WATER. Flash Point:NONE Extinguishing Media: CARBON DIOXIDE, FOAM Fire Fighting Procedures: NONE Unusual Fire/Explosion Hazard:NONE ======== Accidental Release Measures ============ Spill Release Procedures: WASH AWAY WITH WATER. ========== Handling and Storage ================ Handling and Storage Precautions: USE IN VENTILATED AREA. AVOID BREATHING VAPOR.AVOID CONTACT WITH EYES & SKIN Other Precautions: CONTENTS UNDER PRESSURE.DO NOT PUNCTURE OR INCINERATE.DO NOT STORE ABOVE 120 ====== Exposure Controls/Personal Protec tion ======= Respiratory Protection: SELF CONTAINED BREATHING APPARATUS Ventilation: LOCAL EXHAUST IS PREFERRED TO CONTROL TLV IN AIR Protective Gloves: RUBBER Eye Protection: SAFETY GOGGLES Other Protective Equipment: NONE Supplemental Safety and Health ========= Physical/Chemical Properties =========== HCC:V2 Boiling Pt:B.P. Text:102F(CONC). Spec Gravity: 1.03 Evaporation Rate & Properties amp; Reference: 18.7, ETHYL ETHER Appearance and Odor: OPAQUE WHITE LIQUID-SHARP ETHEREAL ODOR Per

ROPELLANTS

Fraction by Wt: 15.0%

Certi Volatiles by Volume.33.0
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:N.A. Hazardous Decomposition Products:PHOSGENE GAS AT HIGH TEMPERATURES
======= Disposal Considerations ==========

Waste Disposal Methods:DO NOT INCINERATE AEROSOL.RELEASE TO ATMOSPHERE UNDER APPROVED CONTROLLED PROCEDURES

Disclaimer (provided with this information by the compiling agencie s):

cont Valatilas by Valuma:00 0

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.