View NSN Online: https://aerobasegroup.es/nsn/9150-00-989-2012

SHIELD PACKAGING CO.,INC. -- AMERICAN DURAFILM OIL-ES-OIL(SEE SUPP DATA) 9150-00-989-2012

============= Product Identification =================

Product ID:AMERICAN DURAFILM OIL-ES-OIL(SEE SUPP DATA)

MSDS Date:10/01/1986

FSC:9150

NIIN:00-989-2012

MSDS Number: BGCBH === Responsible Party ===

Company Name: SHIELD PACKAGING CO., INC. Address: PETER STREET // 15 UNIVERSITY RD

City:WEBSTER // CANTON

State:MA ZIP:01570

Cou ntry:US

Info Phone Num:617-949-0900 // 617-821-0400

Emergency Phone Num:617-949-0900 // 617-821-0400

CAGE:4L689

=== Contractor Identification ===

Company Name: AMERICAN DURAFILM CO INC

Address:23 WILLOW ST

Box:City:NATICK

State:MA ZIP:01760 Country:US CAGE:16167

Company Name: SHIELD PACKAGING CO INC

Address:15 UNIVERSITY RD

Box:H

City:CANTON

State:MA ZIP:02021 Country:US

Phone:508-949-0900

CAGE:4L689

======= Composition/Information on Ingredients ========

Ingred Name:TRICHLOROFLUORO

METHANE (CFC-11) (SARA III) CAS:75-69-4 RTECS #:PB6125000 Fraction by Wt: 42.-48%. OSHA PEL:1000 PPM ACGIH TLV:C, 1000 PPM; 9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ozone Depleting Chemical:1 Ingred Name:DICHLORODIFLUOROMETHANE (SARA III) CAS:75-71-8 RTECS #:PA8200000 Fraction by Wt: 42.-48%. OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ozone Depleting Chemical:1 Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROEHANE) (SARA III) CAS:71-55-6 **RTECS** #:KJ2975000 Fraction by Wt: 3.-7%. OSHA PEL:350 PPM/450 STEL ACGIH TLV:350 PPM/450STEL;9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ozone Depleting Chemical:1 ============= Hazards Identification ======================== Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE/CHRONIC: GIDDYNESS, DIZZINESS, NARCOSIS/MAY INDUCE CARDIAC ARRHYTHMIAS. Effects of Overexposure: INHAL: GIDDYNESS, DIZ ZINESS. SHORTNESS OF BREATH. NARCOSIS AT EXTREME VAPOR CONCENTRATIONS. THE USE OF TOBACCO PRODUCTS CONTAMINATED WITH THIS PRODUCT MAY RESULT IN FOUR DAYS: EYES/SKIN: IRRITATION, DERMATITIS. Medical Cond Aggravated by Exposure: MAY AGGRAVATE PRE-EXISTING CARDIAC

POLYMER FUME FEVER, WITH THE ONSET OF FLU-LIKE SYMPTOMS IN TWO TO

IRREGULARITIES.

First Aid:EYES: WASH W/LARGE AMOUNTS OF TEMPERED WATER. IF IRRITAT

ı	\cap	N	ı	

DEVELOPS OR PERSIST, GET MEDICAL ATTN; SKIN: WASH OFF W/ MILD SOAP & WATER. IF IRRITATION DEVELOPS OR PERSISTS, GET MED ATTN; INGEST: DO NOT I NDUCE VOMITING. SEEK IMMEDIATE MED ATTN; INHAL: REMOVE TO FRESH AIR. IF BREATHING HAS CEASED GIVE ARTIFICIAL RESPIRATION. SEEK IMMEDIATE MED ATTN.

========= Fire Fighting Measures ==============

Flash Point: N/R FOR AEROSOL

Extinguishing Media:PRODUCT NOT LIKELY TO SUPPORT COMBUSTION. USE MEDIA APPROPRIATE FO

R SURROUNDING FIRE.

Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS. COOL UNINVOLVED CANS TO PREVENT POSSIBLE BURSTING.

Unusual Fire/Explosion Hazard: CANS MAY BURST IN HEAT OF FIRE. FLOORS MAY BE SLIPPERY WHERE MATERIALS ARE RELEASED. TOXICS VAPORS MAY BE FORMED FROM THERMAL DETERIORATION.

======== Accidental Release Measures ===========

Spill Release Procedures: SMALL SPILLS: MOP OR WIPE UP. REMOVE TO OUT OF DOORS. LARGE SPILLS: VENTILATE AREA

. CONTAIN LIQUID & TRANSFER TO STEEL DRUMS. CAP TIGHTLY.

=========== Handling and Storage ===============

Handling and Storage Precautions:STORE IN A COOL, DRY AREA, AWAY FROM DIRECT SUNLIGHT. DONOT PUNCTURE OR INCINERATE CAN.

Other Precautions:READ LABEL PRECAUTIONS THOROUGHLY BEFORE USE. USE ONLY AS DIRECTED. AVOID SPRAYING ON SKIN OR INTO FACE OR EYES. KEEP FROM CHILDREN'S REACH.

====== Exposure Controls/Personal Protection ========

Respira

tory Protection: AS REQUIRED FOR TASK AT HANDLING TO MAINTAIN CONTAMINATES BELOW TLV-LEVEL! OSHA/MSHA ORGANIC VAPOR/MIST TYPE RESPIRATOR.

Ventilation:LOCAL EXHAUST: AS NEEDED TO KEEP VAPOR CONCENTRATIONS BELOW TLV; MECH: ESPECIALLY IN LOW LAYING AREAS WHERE VAPOR ACCUM Protective Gloves:NOT NORMALLY NEEDED.

Eye Protection: SAFETY GLASSES RECOMMENDED.

Other Protective Equipment: AS REQUIRED FOR TASK AT HAND TO MINIMIZE EXPOSURE.

Work Hygienic Practices: AVOID CONTAMINATING TOBACCO PRO

DUCTS. TO

PREVENT ACCIDENTAL SPRAYING, KEEP PROTECTIVE CAP IN PLACE WHEN NOT IN USE.

Supplemental Safety and Health

ONLY THREE PRDS. SHOWN ON PID' & THIS IS NOT ONE OF THEM. HOWEVER, SEGMENT C OF TIR' SHOWS THE CITED PRODUCT CATALOGED TO DLSC SYSTEM' BY GSA. LAST BUY BY DGSC OCCURED ON 84200(DLA40084MF317).

======== Physical/Chemical Properties ===========

HCC:V2

Vapor Pres:=/ 1.0

Evaporation Rate & Evaporation R

Appearance and Odor:

SLIGHTLY MILK WHITE W/SLIGHT ETHEREAL ODOR.

Percent Volatiles by Volume:96.

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

ALKALI OR ALKALINE EARTH METALS, POWDERED ALUMINUM, ZINC, BERYLIUM, ETC.

Stability Condition to Avoid:HIGH HEATS(GLOWING SURFACES, WELDING ARCS) THAT MAY TEND TO THERMALLY DECOMPOSE MATERIALS.

Hazardous Decomposition Products:HYDROCHLORIC & HYDROFLUORIC ACIDS & POSSIBLY CARBONYL HALIDES.

=======

======= Disposal Considerations ===============

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/ FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

ment should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.