

GULF OIL CO - US -- GULF SYNFLUID TS-741 -- 9150-01-009-7709

=====
Product Identification
=====

Product ID:GULF SYNFLUID TS-741
MSDS Date:01/01/1985
FSC:9150
NIIN:01-009-7709
MSDS Number: BGDBF
=== Responsible Party ===
Company Name:GULF OIL CO - US
Emergency Phone Num:713-226-1011
CAGE:KO307
=== Contractor Identification ===
Company Name:GULF OIL CO - US
CAGE:KO307
Company Name:GULF OIL CO U.S. A
DIV OF GULF OIL CORP
Box:1519
City:HOUSTON
State:TX
ZIP:77001
Country:US
CAGE:34252

=====
Composition/Information on Ingredients
=====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

=====
Hazards Identification
=====

Effects of Overexposure:SKIN: REPEATED CONTACT MAY CAUSE IRRIT. MIST & FUMES MAY IRRIT MUCOUS MEMBRANES.

=====
First Aid Measures
=====

First Aid:SKIN: REMOVE BY WIPING, T
HEN SOAP & WATER WASH. EYES: FLUSH
W/COPIOUS AMTS OF WATER. INHAL: REMOVE FROM EXPOSURE TO FUMES,
MISTS. INTERN: GIVE 2-4 OZ VEGETABLE OR OLIVE OIL & 1-2 OZ
ACTIVATED CHARCOAL . SEE MD.

=====
Fire Fighting Measures
=====

Flash Point:420F (CC)
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, FOG
Fire Fighting Procedures:CAREFUL USE OF FOAM & WATER TO PREVENT
EXCESSIVE FROTHING
Unusual Fire/Explosion Hazard:SLIGHT WHEN EXPOSED TO HEAT OR F

LAME, CAN
REACT W/OXIDIZING MATERIALS. COMBUSTIBLE.

===== Accidental Release Measures =====

Spill Release Procedures:STOP FLOW. REMOVE ALL SOURCES OF IGNITION.
AVOID SKIN CONTACT & INHALING VAPOR OR MIST. ABSORB OR SCRAPE UP.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID FREQUENT OR PROLONGED SKIN
CONTACT, INHAL OF FUMES, MIST, VAPORS. HANDLE & STORE W/METHODS
APPROVED FOR COMBUSTIBLE HYD
ROCARBONS.
Other Precautions:DO NOT WEAR OIL-SOAKED CLOTHING

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FOR VAPORS & MIST EXCEEDNG TLV THERMAL
PROCESSING, SPRAY APPLICATION
Protective Gloves:BUTYL RUBBER
Other Protective Equipment:OIL IMPERVIOUS OR PROTECTIVE GARMENT AS
REQUIRED
Supplemental Safety and Health
BP IS 190 - 195C, VAPOR PRESSURE IS NEGLIGIBLE

===== Physical/Chemical Properties =====

HCC:V6
Boilin
g Pt:B.P. Text:374 - 384F
Spec Gravity:0.8438
Solubility in Water:NEGLIGIBLE
Appearance and Odor:CLEAR, PALE, LUBRICATING OIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:HEAT MAY LIBERATE SMALL QUANTITIES OF
FREE PHENOL

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN ACCORDANCE W/LOCAL, STATE, FED
REGULATIONS

Disclaimer (provid

ed with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.