

PSI TELCO INC -- D PLUS, PART B -- 5805-01-023-2684

===== Product Identification =====

Product ID:D PLUS, PART B

MSDS Date:01/01/1990

FSC:5805

NIIN:01-023-2684

Kit Part:Y

MSDS Number: BGFFZ

=== Responsible Party ===

Company Name:PSI TELCO INC

Address:3333 N SAN FERNANDO BLVD

City:BURBANK

State:CA

ZIP:91504

Country:US

Info Phone Num:818-843-7944

Emergency Phone Num:818-843-7944

CAGE:MO593

=== Contr

actor Identification ===

Company Name:PSI TELCO INC

Address:3333 N SAN FERNANDO BLVD

Box:City:BURBANK

State:CA

ZIP:91504

Country:US

Phone:818-843-7944

CAGE:MO593

Company Name:PSI TELCO INC.

Address:3333 N SAN FERNANDO BLVD

Box:City:BURBANK

State:CA

ZIP:91504

Country:US

Phone:213-843-7944

CAGE:34261

Company Name:PSI TELECOMMUNICATIONS INC.

Phone:800-426-8688

CAGE:3V085

===== Composition/Information on Ingredients =====

Ingred Name:POLYMERIC POLYAROMATIC POLYISOCYANATES (MDI) (

SARA III)
CAS:101-68-8
RTECS #:NQ9350000
Fraction by Wt: 20-25%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:C 0.02 PPM
ACGIH TLV:0.005 PPM; 9495
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:HIGHER MOLECULAR WEIGHT POLYMERS
Fraction by Wt: 20-25%
Other REC Limits:NONE RECOMMENDED

Ingred Name:PHTHALATE ESTERS OF LONG CHAIN ALCOHOLS
CAS:3648-20-2
Fraction by Wt: 35-40%
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation: YES Skin: YES Ingestion: NO
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: CHRONIC: COULD LEAD TO BRONCHITIS, BRONCHIAL SPASM, PULMONARY EDEMA. ACUTE: IRRITATION OF RESPIRATORY MEMBRANES, RUNNY NOSE, SORE THROAT, PRODUCTIVE COUGH, AND REDUCED LUNG FUNCTION. EFFECTS ARE REVERSIBLE. SOME SENSITIVE INDIVIDUALS MAY EXPERIENCE ASTHMA-LIKE SYMPTOMS AT CONCENTRATIONS BELOW RECOMMENDED TLV.
Effects of Overexposure: SEE "HEALTH HAZARDS".
Medical Conditions Aggravated by Exposure: PRE-EXISTING UNSPECIFIC BRONCHIAL HYPERREACTIVELY SPECIFIC ISOCYANATE HYPERSENSITIVITY.

=====
===== First Aid Measures =====

First Aid: WASH SKIN WITH SOAP AND WATER. FLUSH EYES THOROUGHLY WITH WATER. FOR INHALATION, REMOVE TO AREA FREE OF FURTHER EXPOSURE. ASTHMA-TYPE SYMPTOMS MAY BE TREATED SYMPTOMATICALLY. IF INGESTED, GIVE WATER OR MILK AND CONSULT PHYSICIAN.

=====
===== Fire Fighting Measures =====

=====

Flash Point Method:COC

Flash Point:NONE

Autoignition Temp:Autoignition Temp Text:NONE

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:AVOID WATER CONTMINATION IN CLOSED CONTAINERS. MATERIAL REACTS WITH WATER WITH THE EVOLUTION OF CARBON DIOXIDE. CLOSED CONTAINERS MAY RUPTURE.

===== Accidental Release Measures =====

Spill Release Proce

dures:ABSORB SPILL WITH ABSORBENT COMPOUND. REMOVE TO OPEN CONTAINERS. TREAT ABSORBED MATERIAL WITH MILD AMMONIA SOLUTION AND FLUSH SPILL AREA WITH SAME SOLUTION. LEAVE TREATED MATERIAL OPEN FOR 24-28 HOURS .

Neutralizing Agent:AMMONIA SOLUTION.

===== Handling and Storage =====

Handling and Storage Precautions:PROTECT FROM CONTAMINATION WITH MOISTURE OR OTHER ISOCYANATE REACTIVE MATERIALS. HANDLE UNDER ADEQUATE VENTILATION AND PROTECT FROM CONTACT W/PRODUCT.

Other Precautions:NONE STATED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE AIR SUPPLIED RESPIRATOR WHERE AIR-BORNE CONCENTRATIONS ARE WELL ABOVE TLV.

Ventilation:USE LOCA EXHAUST TO KEEP BELOW TLV.

Protective Gloves:RUBBER OR PLASTIC.

Eye Protection:SPLASH GOGGLES.

Other Protective Equipment:NONE.

Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

KEY1:N1. PART B OF A TWO PART KIT.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:460F T0490F

Melt/Freeze Pt:M.P/F.P Text: