

CONOCO INC -- CONOCO UG1 80W-90 -- 9150-01-035-5394

===== Product Identification =====

Product ID:CONOCO UG1 80W-90

MSDS Date:01/01/1987

FSC:9150

NIIN:01-035-5394

MSDS Number: BGGML

=== Responsible Party ===

Company Name:CONOCO INC

Emergency Phone Num:405-767-3456

CAGE:15445

=== Contractor Identification ===

Company Name:CONOCO INC

Address:600 N DAIRY ASHFORD RD RM 3012

Box:4784

City:HOUSTON

State

:TX

ZIP:77210-4784

Country:US

Phone:800-441-3637/800-424-9300(CHEMTREC)

CAGE:15445

Company Name:CONOCO INC CONOSTAN DIV

Address:1000 S PINE ST

Box:1267

City:PONCA CITY

State:OK

ZIP:74602

Country:US

Phone:405-767-2287

CAGE:59548

===== Composition/Information on Ingredients =====

Ingred Name:MFG DID NOT SPECIFY IS A PETROLEUM HYDROCARBON

RTECS #:9999999ZZ

===== Hazards Identification =====

Effects of Overexposure:SKIN & EYE IRRITANT.EXCESSIVE

INHALATION OF
MIST & VAPOR MAY CAUSE PULMONARY DISORDERS.

=====
First Aid Measures
=====

First Aid:SKIN:WASH W.SOAP & H*2O EYES:FLUSH W. H*2O. INGESTED:GIVE 2 GLASSES H*2O; INDUCE VOMITING.CALL A PHYSICIAN. INHALE:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. IF UNCONS DO NOT TAKE ANYTHING BY MOUTH.

=====
Fire Fighting Measures
=====

Flash Point:350-400F(
COC)
Extinguishing Media:SM:CO*2, DRY CHEM. LG:H*2O SPRAY,FOG OR FOAM
Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:CLEAN UP PROMPTLY BY ABSORPTION IN CLAY OR EARTH. AVOID DRAINAGE INTO SEWER UNLESS IT IS SPECIFICALLY DESIGNED TO HANDLE HYDROCARBONS.

=====
Handling and Storage
=====

Handling and Storage Precautions:MAY
BE STORED OUTDOORS OR INDOORS AWAY
FROM FURNACE OR OTHER HEATING EQUIPMENT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE
Ventilation:NORMAL SHOP VENTILATION
Protective Gloves:NONE
Eye Protection:NONE
Other Protective Equipment:NONE
Supplemental Safety and Health
MSDS UNDATED.

=====
Physical/Chemical Properties
=====

HCC:V6
Boiling Pt:B.P. Text:600F/315.6C
Vapor Pres:NIL
Spec Gravity:0.88
Viscosity:13.5CS,MIN

Evaporation Rate & Reference:NIL

Solubility in Water:NEG

Appearance and Odor:GREENISH-BROWN VISCOUS LIQ-MILD SULFUR ODOR.

Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING MATL,HEAT,FLAME.

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:CO IF INCOMPLETE COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:CONTRO

LLED INCINEATIONISTORE FOR PROFESSIONAL
REMOVAL & DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.