

AMERICAN OIL & SUPPLY CO. -- 21103 PQ AGMA 5EP (LUBRICATING OIL) -- 9150-01-035-5394

===== Product Identification =====

Product ID:21103 PQ AGMA 5EP (LUBRICATING OIL)

MSDS Date:04/01/1986

FSC:9150

NIIN:01-035-5394

MSDS Number: BGGNJ

=== Responsible Party ===

Company Name:AMERICAN OIL & SUPPLY CO.

Address:238 WILSON AVE

City:NEWARK

State:NJ

ZIP:07105

Country:US

Emergency Phone Num:(201)589-0250

Preparer's Name:LAB MANAGER

CAGE:DO810

=== Contractor Identification

n ===

Company Name:AMERICAN OIL & SUPPLY CO

Address:233 WILSON AVE

City:NEWARK

State:NJ

ZIP:07105

Country:US

Phone:201-589-0250

CAGE:DO810

Company Name:AMERICAN OIL AND SUPPLY CO

Address:239 WILSON AVE

City:NEWARK

State:NJ

ZIP:07105-3824

Country:US

Phone:201-589-0250

CAGE:92895

===== Composition/Information on Ingredients =====

Ingred Name:SEVERELY HYDROTREATED PETROLEUM HYDROCARBON (MAY CONTAIN
ANTIFOAM AGENT)

Fraction by Wt: 100%

Other REC Limits:5MG/CUM (OIL MIST)

===

===== Hazards Identification =====

Health Hazards Acute and Chronic:ACUTE HAZARDS:EYES:MILD

IRR,RED;SKIN:MILD IRR,DERMAT;INH:NASAL

IRR,DIZZ,WEAK,NAUSEA,HEAD,POSSIBLE

UNCONSC;ING:NAUSEA,VOMIT,DIARR,GI IRR--CHRONIC HAZARDS:EACH OF THE
ABOVE HEALTH EFFECTS ARE SHORT TERM .LONG TERM EFFECTS OF THIS TYPE
OF PRODUCT HAVE NOT BEEN DETERMINED.

Effects of Overexposure:EYES:MILD IRRITATION,REDNESS;SKIN:MILD

IRRITATION,DERMATITIS;INH:NASAL

IRRITAT

ION,DIZZINESS,WEAKNESS,NAUSEA,HEADACHE,POSSIBLE

UNCONSCIOUSNESS;INGESTION:NAUSEA,VOMITING,DIARRHEA,GASTROINTESTINAL
IRRITA TION.

===== First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG

DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH

W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT

UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

=====

==== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:500F,260C

Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.

Fire Fighting Procedures:WEAR CHEM PROT. SUIT WITH SCBA. COOL CONTRS
WITH H*2O.

Unusual Fire/Explosion Hazard:DO NOT USE DIRECT STREAM OF WATER.
MATERIAL MAY FLOAT AND REIGNITE.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. PROVIDE
ADEQUATE VENTILATION.

RECOVER FREE LIQUID. ADD ABSORBENT TO SPILL

AREA. COLLECT ABSORBENT. KEEP PRODUCT OUT OF WATERWAYS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY WELL VENTED LOW FIRE
RISK AREA. PROTECT FROM HEAT,SHOCK,FRICTION. KEEP CONTAINERS
CLOSED. WEAR APPROPRIATE PROTECTION AT ALL TIMES.

Other Precautions:AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. AVOID
BREATHING MISTS OR SPRAYS. EMPTY CONTAINERS OF THIS PRODUCT

CAN BE
HAZARDOUS DUE TO THE RETENTION OF RESIDUES AND VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. NIOSH APPROVED
RESPIRATOR IF TLV IS EXCEEDED.
Ventilation:LOCAL EXHAUST PREFERRED,MECHANICAL EXHAUST ACCEPTABLE.EXH.
FAN REQD ONLY TO REMOVE HOT PROCESS FUMES.
Protective Gloves:NEOPRENE
Eye Protection:SAFETY GLASSES,SPLASH SHIELD
Other Protective Equipment:IMPERVIOUS CLOTHING AND BOOTS TO AVOID
PROLONGE
D OR REPEATED SKIN CONTACT.
Work Hygienic Practices:WASH WITH SOAP AND WATER PRIOR TO
EATING,DRINKING,SMOKING OR USING SANITARY FACILITIES.
Supplemental Safety and Health
ROUTES OF ENTRY:MFR DID NOT SPECIFY PRODUCT ABSORPTION FOLLOWING ROUTE
OF ENTRY.--THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS SUBSTANCE
IN ACCORDANCE WITH CFR29 1910.

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:>600F,316C
Vapor Pres: