

AMERICAN OIL & SUPPLY CO. -- 21103 PQ AGMA 5EP (LUBRICATING OIL) -- 9150-01-035-5394

=====
Product Identification
=====

Product ID:21103 PQ AGMA 5EP (LUBRICATING OIL)

MSDS Date:04/01/1986

FSC:9150

NIIN:01-035-5394

MSDS Number: BGGNJ

=== Responsible Party ===

Company Name:AMERICAN OIL & SUPPLY CO.

Address:238 WILSON AVE

City:NEWARK

State:NJ

ZIP:07105

Country:US

Emergency Phone Num:(201)589-0250

Pre

parer's Name:LAB MANAGER

CAGE:DO810

=== Contractor Identification ===

Company Name:AMERICAN OIL & SUPPLY CO

Address:233 WILSON AVE

City:NEWARK

State:NJ

ZIP:07105

Country:US

Phone:201-589-0250

CAGE:DO810

Company Name:AMERICAN OIL AND SUPPLY CO

Address:239 WILSON AVE

City:NEWARK

State:NJ

ZIP:07105-3824

Country:US

Phone:201-589-0250

CAGE:92895

=====
Composition/Information on Ingredients
=====

Ingred Name:SEVERELY HYDROTREATED PETROLEUM HYDROCARBON (MAY CONTAIN
ANTIFOAM AGEN

T)
Fraction by Wt: 100%
Other REC Limits:5MG/CUM (OIL MIST)

===== Hazards Identification =====

Health Hazards Acute and Chronic:ACUTE HAZARDS:EYES:MILD
IRR,RED;SKIN:MILD IRR,DERMAT;INH:NASAL
IRR,DIZZ,WEAK,NAUSEA,HEAD,POSSIBLE
UNCONSC;ING:NAUSEA,VOMIT,DIARR,GI IRR--CHRONIC HAZARDS:EACH OF THE
ABOVE HEALTH EFFECTS ARE SHORT TERM .LONG TERM EFFECTS OF THIS TYPE
OF PRODUCT HAVE NOT BEEN DETERMINED.
Effects of Overexposure:EYES:MILD IRRITATION,R
EDNESS;SKIN:MILD
IRRITATION,DERMATITIS;INH:NASAL
IRRITATION,DIZZINESS,WEAKNESS,NAUSEA,HEADACHE,POSSIBLE
UNCONSCIOUSNESS;INGESTION:NAUSEA,VOMITING,DIARRHEA,GASTROINTESTINAL
IRRITATION.

===== First Aid Measures =====

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH
W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT
UNTIL VOMIT IS CLEAR.
NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:500F,260C
Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.
Fire Fighting Procedures:WEAR CHEM PROT. SUIT WITH SCBA. COOL CONTRS
WITH H*2O.
Unusual Fire/Explosion Hazard:DO NOT USE DIRECT STREAM OF WATER.
MATERIAL MAY FLOAT AND REIGNITE.

===== Accidental Release Measures =====

Spill Release Procedures:ELIM

ELIMINATE ALL SOURCES OF IGNITION. PROVIDE ADEQUATE VENTILATION. RECOVER FREE LIQUID. ADD ABSORBENT TO SPILL AREA. COLLECT ABSORBENT. KEEP PRODUCT OUT OF WATERWAYS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY WELL VENTED LOW FIRE RISK AREA. PROTECT FROM HEAT,SHOCK,FRICTION. KEEP CONTAINERS CLOSED. WEAR APPROPRIATE PROTECTION AT ALL TIMES.

Other Precautions:AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. AVOID

BREATHING MISTS OR SPRAYS. EMPTY CONTAINERS OF THIS PRODUCT CAN BE HAZARDOUS DUE TO THE RETENTION OF RESIDUES AND VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. NIOSH APPROVED RESPIRATOR IF TLV IS EXCEEDED.

Ventilation:LOCAL EXHAUST PREFERRED,MECHANICAL EXHAUST ACCEPTABLE.EXH. FAN REQD ONLY TO REMOVE HOT PROCESS FUMES.

Protective Gloves:NEOPRENE

Eye Protection:SAFETY GLASSES,SPLASH SHIELD

Other Protecti

ve Equipment:IMPERVIOUS CLOTHING AND BOOTS TO AVOID PROLONGED OR REPEATED SKIN CONTACT.

Work Hygienic Practices:WASH WITH SOAP AND WATER PRIOR TO EATING,DRINKING,SMOKING OR USING SANITARY FACILITIES.

Supplemental Safety and Health

ROUTES OF ENTRY:MFR DID NOT SPECIFY PRODUCT ABSORPTION FOLLOWING ROUTE OF ENTRY.--THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS SUBSTANCE IN ACCORDANCE WITH CFR29 1910.

===== Physical/Chemical Properties =====

HCC:V6

Boilin

g Pt:B.P. Text:>600F,316C

Vapor Pres: