View NSN Online: https://aerobasegroup.es/nsn/9150-01-035-5396 AMOCO OIL COMPANY -- MULTI-PURPOSE GEAR LUBRICANT,85W-140 -- 9150-01-035-5396 Product ID:MULTI-PURPOSE GEAR LUBRICANT,85W-140 MSDS Date:08/15/1986 FSC:9150 NIIN:01-035-5396 MSDS Number: BGGPR === Responsible Party === Company Name: AMOCO OIL COMPANY Address: 200 EAST RANDOLPH DRIVE City:CHICAGO State:IL ZIP:60601 Country:US Info Phone Num:312-856-3907 **Emergency Pho** ne Num:800-447-8735/800-424-9300(CHEMTREC) Preparer's Name: STEPHEN A. ELBERT CAGE:15958 === Contractor Identification === Company Name: AMOCO OIL CO Address: 200 E RANDOLPH DR Box:City:CHICAGO State:IL ZIP:60601-6401 Country:US Phone:312-856-3907- EM HLTH: 800 447-8735 CAGE:15958 ======= Composition/Information on Ingredients ======== Ingred Name: REFINED HEAVY PARAFFINIC DISTILLATES/PETROLEUM DISTILLATES (NAPHTHA) CAS:64741-88-4 Other REC Limits: NONE RECOMMENDED OSHA PEL:5 MG/M3 (OIL MIST). ACGIH TLV:5 MG/M3 (OIL MIST). Ingred Name: SOLV. REFINED RESIDUAL OIL. CAS:64742-01-4 Other REC Limits: NONE RECOMMENDED OSHA PEL:5MG/M3 OIL MISTS. ACGIH TLV:5MG/M3 OIL MISTS.

LD50 LC50 Mixture:LD50 (ORAL RAT) IS UNKNOWN.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE- EYES:NO SIGNIFICANT IRRITATION
EXPECTED. SKIN

:PROLONGED/REPEATED CONTACT MAY CAUSE SOME IRRITATION. INHALATION:NONE EXPECTED UNDER NORMAL CONDITIONS OF USE. INGESTION:EXPECTED TO BE RELATIVELY NON-TOXIC. CHRONIC- UNKNOWN. TARGET ORGANS:SKIN. Explanation of Carcinogenicity:NONE Effects of Overexposure:SKIN IRRITATION Medical Cond Aggravated by Exposure:REPEATED SKIN CONTACT MAY AGGRAVATE AN EXISTING DERMATITIS.
======================================
First Aid:GET MEDICAL HELP IF SYMPTOMS PERS IST. INHALATION:NOT LIKELY. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:REMOVE EXCESS. WASH SKIN WITH SOAP & WATER. INGESTION:IF LARGE AMOUNTS HAV E BEEN SWALLOWED, INDUCE VOMITING. SEEKMEDICAL ADVICE.
======================================
Flash Point Method:COC Flash Point:356F,180C MIN Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. WATER OR FOAM MAY CAUSE FROTHING. Fire Fighting Procedures:WEAR FIR E FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ==========
Spill Release Procedures:WEAR PROTECTIVE EQUIPMENTS. REMOVE SOURCES OF IGNITION. VENTILATE AREA. CONTAIN SPILL. ABSORB ON FIRE RETARDANT TREATED SAWDUST, DIATOMACEOUS EARTH, ETC. SHOVEL UP AND TRANSFER TO A CONTAINER FOR DISP OSAL. PREVENT ENT RY INTO SEWERS AND WATERWAYS. Neutralizing Agent:NOT RELEVANT
========== Handling and Storage ===========
Handling and Storage Precautions:STORE IN DRY PLACE. KEEP AWAY FROM EXCESSIVE HEAT, FLAME & STRONG OXIDANTS. Other Precautions:DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. WATER CONTAMINATION SHOULD BE AVOIDED.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NON REQUIRED UNDER NORMAL

CONDITIONS. IF HIGH VAPOR OR MIST CONCENTRATIONS EXPECTED, USE NIOSH-APPROVED RESPIRATOR FOR ORGANIC VAPORS AND MISTS. Ventilation: ADEQUATE Protective Gloves:LATEX, RUBBER RECOMMENDED Eye Protection: CHEMICAL GOGGLES/SAFETY SHIELD RECOMMEND Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING O R FOOTWEAR. Supplemental Safety and Health ======== Physical/Chemical Properties ============ HCC:V6 NRC/State Lic Num: NOT RELEVANT Melt/Freeze Pt:M.P/F.P Text:15.0F,-9.4C Spec Gravity:0.91 Solubility in Water: NEGLIGIBLE Appearance and Odor:OILY LIQUID ======== Stability and Reactivity Data ========== OTHER UNIDENTIFIED COMPOUNDS MAY BE FORMED. ======= Disposal Considerations ============

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid: EXTREME HEAT Hazardous Decomposition Products: CARBON MONO XIDE, CARBON DIOXIDE AND

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. ENCLOSED-CONTROLLLED INCINERATION IS RECOMMENDED UNLESS DIRECTED OTHERWISE BY APPLICABLE ORDINANCES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defens

e. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.