View NSN Online: https://aerobasegroup.es/nsn/9150-01-035-5396

TOSCO CORP -- LION MULTI-GRADE GEAR LUBE OIL 85W/140 -- 9150-01-035-5396

Product ID:LION MULTI-GRADE GEAR LUBE OIL 85W/140 MSDS Date:01/01/1985 FSC:9150 NIIN:01-035-5396 MSDS Number: BGGPY === Responsible Party === Company Name:TOSCO CORP Emergency Phone Num:(415) 228-1220 CAGE:MO655 === Contractor Identification === Company Name:LION OIL CO Address:AVON REFINERY Box:City:MARTINEZ

State:CA ZIP:94553-1487 Country:US CAGE:6E338 Company Name:TOSCO CORPORATION Address:376 S VALENCIA AVENUE Box:City:BREA State:CA ZIP:92823 Country:US Phone:800-762-0742 CAGE:MO655

Ingred Name:PETROLEUM HYDROCARBON (SEE SUPP DATA) Fraction by Wt: 100% ACGIH TLV:5MG/CUM (MFR)

Effects of Overexposure: EYE: IRRIT. SKIN: IRRIT LEAD TO DERMAT

OR OTHER DISORDERS. INH: RESP IRRIT. INGEST: G.I. IRRIT, VOMIT

First Aid:EYE:FLUSH W/ LG AMT OF COOL WATER AT LOW PRESS, MIN OF 15 MIN. GET MEDICAL ATTN. SKIN: REMOVE BY WIPING; WASH W/ SOAP/WATER. INH: REMOVE TO FRESH AIR,GIVE ARTIF RESP IF NEC. SEE MD. INGEST: DONT INDUC E VOMIT. ASPIR TO LUNGS, POSS CHEM PNEUM. SEE MD.

Flash Point:405-415

COC

Extinguishing Media:CO*2,DRY CHEM. FOAM & WATER FOG ARE EFFECT BUT POSS FROTHNG

Fire Fighting Procedures: USE PROPER PROT EQUIP. MAY INCLUDE SELF-CONT BRTHNG APPAR

Unusual Fire/Explosion Hazard:MODERATELY COMBUSTIBLE, THIS MATERIAL MAY FORM FLAM OR EXPLO VAP IN CONFINED AREA IF TEMP >FLASH PT.

Spill Release Procedures:CONTAIN LG SPILLS BY DIKING & RECOVERING; CLEAN UP W/MATERIALS SUCH AS CLAY, DIATOMACEOUS E ARTH OR OTHER INERT MATERIALS. USE WATER FOG TO REDUCE VAPORS.

Handling and Storage Precautions:STORE AWAY FROM HEAT & FLAMES OR STRONG OXIDIZERS. WASH BEFORE EATING OR SMOKING.
Other Precautions:USE GOOD PERSONAL HYGIENE PRACTICES. IN CASE OF SKIN CONTACT, WIPE & THEN WASH W/SOAP/WATER. CONTAM CLOTHING SHOULD BE REMOVED & LAUNDERED. DISCARD GROSSLY CONTAM LEATHER GOODS.

======= Exposure Controls/Person

Respiratory Protection:NONE REQ'D UNDER NORM AMBIENT CONDITIONS,ADEQ VENT, W/ VAP 1.0 Evaporation Rate & amp; Reference:>1.0 (ETHER) Solubility in Water:NEGLIGIBLE Appearance and Odor:DARK BROWN, OILY ODOR

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS Stability Condition to Avoid:EXCESSIVE HEAT, STRONG OXIDIZERS Hazardous Decomposition Products:CO, CO*2 & OXYGENATES MAY BE FORMED

DURING COMBUST

Waste Disposal Methods:DISPOSE AT AN APPRVD DISPOSAL SITE, COMPLYING W/ALL FEDERAL,STATE & LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability

for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.