

QUAKER STATE OIL REFINING CORP. -- SUPER QUADROLUBE GEAR LUBRICANT, 85W/140 --  
9150-01-035-5396

===== Product Identification =====

Product ID: SUPER QUADROLUBE GEAR LUBRICANT, 85W/140

MSDS Date: 01/01/1985

FSC: 9150

NIIN: 01-035-5396

MSDS Number: BGGQP

=== Responsible Party ===

Company Name: QUAKER STATE OIL REFINING CORP.

Emergency Phone Num: 814-676-2726

CAGE: DO899

=== Contractor Identification ===

Co

Company Name: QUAKER STATE CORPORATION

Address: 255 E JOHN CARPENTER FREEWAY

Box: City: IRVING

State: TX

ZIP: 75062

Country: US

Phone: 800-562-5928

CAGE: 77493

Company Name: QUAKER STATE OIL REFINING CORPORATION

Address: Box: 989

City: OIL CITY

State: PA

ZIP: 16301

Country: US

Phone: 814-676-7676

CAGE: DO899

===== Composition/Information on Ingredients =====

Ingred Name: PETROLEUM HYDROCARBONS (MFR SUGGESTS TLV FOR PRODUCT OF 5  
MG/CUM AS OIL MIST)

Ingred Name: ADDITIVES

=====

== First Aid Measures =====

First Aid:EYES:FLUSH W/WATER & OBTAIN MEDICAL ATTN.INGEST:DO NOT INDUCE VOMITING.OBTAIN MED. ATTN.SKIN:AVOID RPTD/PRLNG CNTCT W/SKIN. WASH CONTAM AREAS W/SOAP & WATER.

===== Fire Fighting Measures =====

Flash Point:385F MIN COC  
Extinguishing Media:CO\*2,FOAM,DRY CHEMICAL  
Fire Fighting Procedures:COOL EXPOS CONTAINERS W/WATER  
Unusual Fire/Explosion Hazard:DO NOT STORE OR MIX W/STRONG OXIDANTS

===== Accidental Release Measures =====

Spill Release Procedures:DIKE SPILLS.TAKE UP SPILLED MATERIAL W/DRY CHEMICAL ABSORBENT.PREVENT ENTRY INTO SEWERS &/OR WATER COURSES.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLSD.AVOID EXCESSIVE HEAT OR DIRECT FLAME.  
Other Precautions:AVOID CONTACT W/EYES.AVOID PRLNG/RPTD CNTCT W/SKIN

===== Exposure Controls/Personal Protection =====

Ventilation:ADEQUATE  
Protective Gloves:NEOPRENE  
Eye Protection:GOGGLES OR FACE SHIELD  
Other Protective Equipment:LONG SLEEVES.MFR ALSO RECM NITRILE TY GLOVES.  
Supplemental Safety and Health  
SPECIFIC GRAVITY: 0.8871/0.8816.55 GALLON CONTAINER SIZE.

===== Physical/Chemical Properties =====

HCC:V6  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:LIGHT AMBER LIQ W/ORGANIC ODOR

===== Stability and Reactivity Data =====

Stability Indicator

/Materials to Avoid: YES  
STRONG OXIDANTS SUCH AS LIQ CHLORINE & CONC OXYGEN  
Hazardous Decomposition Products: OXIDES OF CARBON

===== Disposal Considerations =====

Waste Disposal Methods: MFR RECM INCIN OR SANITARY LANDFILL DISPOSAL IAW  
FED, STATE & LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner what-  
soever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.