

PRODUCTS RESEARCH & CHEMICAL CORPORATION. -- PR-1538 -- 8030-01-041-1010

===== Product Identification =====

Product ID:PR-1538

MSDS Date:01/01/1985

FSC:8030

NIIN:01-041-1010

MSDS Number: BGHCR

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORPORATION.

Emergency Phone Num:213-240-2060

CAGE:DO563

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PP

G INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCTS RESEARCH & CHEMICAL

Address:NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Phone:818-240-2060

CAGE:DO563

===== Composition/Information on Ingredients =====

Ingred Name:POLYURETHANE POLYMER.

Fraction by Wt: 75.0%

Ingred Name:HIGH MELTING AMINE.

Fraction by Wt: 10.0%

Ingred Name:POLYGLYCOL

Fraction b

y Wt: 10.0%

Ingred Name:NATURAL OIL
Fraction by Wt: 5.0%.

===== Hazards Identification =====

Effects of Overexposure:IRRITATE SKIN,SENSITIZE SKIN.

===== First Aid Measures =====

First Aid:SKIN CONTACT:WASH THOROUGHLY WITH SOAP & WATER.EYE
CONTACT:WASH OUT THOROUGHLY WITH PLENTY OF WATER SEE A
PHYSICIAN.INHALATION:REMOVE TO FRESH AIR.

===== Fire Fighting Measures =====

Flash Po
int:>200F TOC.
Extinguishing Media:FOAM,DRY CHEMICAL
Fire Fighting Procedures:USE RESPIRATOR.
Unusual Fire/Explosion Hazard:EMISSION OF TOXIC FUMES.

===== Accidental Release Measures =====

Spill Release Procedures:PLACE IN AN APPROVED STORAGE
CONTAINER.ELIMINATE IGNITION SOURCES.KEEP UNPROTECTED PERSONS AWAY
FROM HAZARD AREA.ABSORB EXCESS WITH PAPER TOWELS,RAGS,OTHER
ABSORBENT.CLEAN AREA WITH MEK.PLACE ABSORBED IN TIGHTLY CLOSED
CONTAINERS.

===== Handling and Storage =====

Handling and Storage Precautions:PROTECT CONTAINERS FROM PHYSICAL
DAMAGE.WEAR RESPIRATOR,SAFETY GOGGLES,PROTECTIVE EQUIPMENT.KEEP
AWAY FROM IGNITION SOURCES.
Other Precautions:PRODUCT IS MOISTURE SENSITIVE.KEEP CONTAINERS TIGHTLY
CLOSED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATOR FOR SENSITIVE INDIVIDUALS.
Ventilation:LOCAL EXHAUST IS RECOMMENDED.
Protective Glov

es:RUBBER/PLASTIC.
Eye Protection:SAFETY GOGGLES.
Other Protective Equipment:PROTECTIVE HAND CREAM.
Supplemental Safety and Health
% VOLATILE BY VOLUME:1%MAX. THIS PRODUCT IS A POLYURETHANE POTTING & MOLDING COMPOUND.

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:UNK
Vapor Pres:UNK
Vapor Density:UNK
Spec Gravity:UNK
Solubility in Water:UNK
Appearance and Odor:LIQUID,POLYURETHANE ODOR.
Percent Volatiles by Volume:UNK

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXIDIZERS.
Stability Condition to Avoid:SPARKS,FLAME & HEAT.
Hazardous Decomposition Products:FRAGMNTS OF AROM AMINES, ALCOHOLS,
ISOCYANATES & UNSAT CMPD

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE UNDER APPROVED CONTROLLED PROCEDURES
IAW LOCAL,STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.