

TEXACO INC CORPORATE HQ -- 00499 EDM FLUID -- 9150-01-042-6495

===== Product Identification =====

Product ID:00499 EDM FLUID

MSDS Date:02/28/1991

FSC:9150

NIIN:01-042-6495

MSDS Number: BGHGG

=== Responsible Party ===

Company Name:TEXACO INC CORPORATE HQ

Address:2000 WESTCHESTER AVE

City:WHITE PLAINS

State:NY

ZIP:10604

Country:US

Emergency Phone Num:(914)831-3400 X406

CAGE:59595

=== Contractor Identification ===

Company Name:CONVOY OIL CORP

Address:1410 N FRONT

STREET

Box:29366

City:PHILADELPHIA

State:PA

ZIP:19125

Country:US

Phone:215-739-5281

CAGE:6A438

Company Name:TEXACO INC CORPORATE HQ

Address:2000 WESTCHESTER AVE

City:WHITE PLAINS

State:NY

ZIP:10604

Country:US

Phone:914-253-4000

CAGE:59595

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED LIGHT
NAPHTHENIC

CAS:64742-53-6

RTECS #:PY8036000

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

ACGIH TLV:5 MG/M3 (OI

L MIST)

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: IRRITATION OF THE NOSE AND THROAT. INGESTION: ASPIRATION MAY OCCUR DURING SWALLOWING OR VOMITING RESULTING IN LUNG DAMAGE. SKIN: PROLONGED CONTACT MAY CAUSE DEFATTING OF THE SKIN. EYES: MAY CAUSE MINIMAL IRRITATION.
Effects of Overexposure:EYES: TEMPO
RARY DISCOMFORT. SKIN: LOCAL
REDNESS WITH POSSIBLEMILD IRRITATION. INHALATION: HEADACHE, NAUSEA, AND DROWISNESS. INGESTION: ABDOMINAL DISCOMFORT, NAUSEA, AND DIARRHEA MAY OCCUR.
Medical Cond Aggravated by Exposure:MAY AGGRAVATE AN EXISTING DERMATITIS.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY OF WATER FOR 15 MIN. SKIN: WASH WITH SOAP AND WATER FOR SEVERAL MIN. INGESTION: IF SWALLOWED, GET IMMEDIATE MEDICAL
ATTENTION. INHALATION: REMOVE TO FRESH AIR. GET
MEDICAL ATTENTION IF IRRITATION AND/OR SYMPTOMSPERSIST.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:230F,110C
Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM, OR CARBON DIOXIDE.
WATER OR FOAM MAY CAUSE FROTHING.
Fire Fighting Procedures:USE WATER SPRAY TO DISPERSE VAPORS. COOL
FIRE-EXPOSED CONTAINERS WITH A WATER SPRAY.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL. ABSORB W/INERT POROUS MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:PERIODS OF HIGH TEMPERATURES SHOUD BE MINIMIZED. WATER CONTAMINATION SHOULD BE AVOIDED.
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED IF EXPOSURES W/IN PERMISSIBLE
CONCENTRAT

NS.
Ventilation:NORMAL VENTILATN
Eye Protection:IF NECESSARY
Other Protective Equipment:WASH EXPOSED SKIN SEVERAL TIMES/DAY. LAUNDER
SOILED CLOTHING
Supplemental Safety and Health
VAPOR PRESSURE:NIL.% VOLATILE BY VOLUME:NIL. SOLUBILITY IN
WATER:INSOLUBLE

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:500F
Vapor Pres:0.004@100F
Spec Gravity:0.830
Solubility in Water:NIL
Appearance and Odor:CLEAR OIL.
Percent Volatiles by Volume:100

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS.
Stability Condition to Avoid:EXTREME TEMPERATURES.
Hazardous Decomposition Products:TOXIC LEVELS OF CARBON MONOXIDE,
CARBON DIOXIDE, IRRITATING ALDEHYDES AND KETONES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IAW LOCAL LAWS AND REGULATIONS COVERING
DISPOSAL OF OILY WASTES.A WASTE OIL CONTRACTOR OR DISPOSAL
SPECIALIST IS SUGGESTED.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this informat

ion to their
particular situation.