

HUGHSON CHEMICALS -- M 200 -- 8030-01-054-7229

===== Product Identification =====

Product ID:M 200

MSDS Date:01/01/1985

FSC:8030

NIIN:01-054-7229

Kit Part:Y

MSDS Number: BGJJV

=== Responsible Party ===

Company Name:HUGHSON CHEMICALS

Address:1801 MT VERNON AVE

City:POMONA

State:CA

ZIP:91768-3301

Country:US

CAGE:GO815

=== Contractor Identification ===

Company Name:G AND D AIRCRAFT PARTS INC

Address:

1801 MT VERNON AVE

Box:City:POMONA

State:CA

ZIP:91768-3301

Country:US

Phone:714-623-3835

CAGE:30670

Company Name:HUGHSON CHEMICALS

Box:10038

CAGE:GO815

===== Composition/Information on Ingredients =====

Ingred Name:METHYL N-BUTYL KETONE (2-HEXANONE)

CAS:591-78-6

RTECS #:MP1400000

Fraction by Wt: 79.8%

OSHA PEL:100 PPM

ACGIH TLV:S, 5 PPM; 9293

===== Hazards Identification =====

Effects of Overexposure:INTOXICATION EFFECT FROM AROMATIC SOLVEN

T  
VAPORS.

===== First Aid Measures =====

First Aid:WASH SKIN THOROUGHLY; IF SWALLOWED DO NOT INDUCE VOMITING!  
CALL PHYSICIAN.

===== Fire Fighting Measures =====

Lower Limits:1.2

Upper Limits:8.0

Extinguishing Media:FOAM, DRY CHEMICAL, CO<sub>2</sub>,

Fire Fighting Procedures:VAPORS EVOLVED WHEN HEATED ARE SKIN IRRITANT.  
AVOID CONTACT.

Unusual Fire/Explosion Hazard:FIRE HAZARD - DANGEROUS RATED WHEN  
EXPOSED TO HEAT  
OR FLAME.

===== Accidental Release Measures =====

Spill Release Procedures:AVOID PROLONGED BREATHING OF VAPORS; REMOVE  
SOURCES OF IGNITION; CLEAN UP SPILL IN MANNER FOR ANY STANDARD  
FLAMMABLE PAINT.

===== Handling and Storage =====

Handling and Storage Precautions:NORMAL STORAGE FOR FLAMMABLE LIQUIDS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:POSITIVE AIR VENT. AIR SUPPLI  
ED HOOD OR CHEM  
CANISTER FACE MASK.

Protective Gloves:YES

Eye Protection:YES

Other Protective Equipment:AS REQUIRED TO AVOID PROLONGED SKIN CONTACT.

Supplemental Safety and Health

PART B FOR TWO OTHER PRODUCTS (CHEMGLAZE M213 & CHEMGALZE M313).  
KEY1:F4.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:256 TO 266F

Vapor Pres:10

Vapor Density:3.45

Spec Gravity:0.8400

Evaporation Rate & Reference:1.0 (N-BUAC)

Solubility in Water:MODERATE

Appearance and Odor: CLEAR YELLOW LIQUID; KETONE ODOR

Percent Volatiles by Volume: 82.8

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

Hazardous Decomposition Products: CO & CO<sub>2</sub>

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH FED., STATE & LOCAL  
REGULATIONS FOR FLAMMABLE MATERIALS.

Disclaimer (provided with this information by the compiling agencies):

Th

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.