

CHEMICAL PRODUCTS GRP,LORD CORP -- CHEMGLAZE M200-PART B -- 8030-01-054-7229

===== Product Identification =====

Product ID:CHEMGLAZE M200-PART B

MSDS Date:01/01/1985

FSC:8030

NIIN:01-054-7229

Kit Part:Y

MSDS Number: BGJJX

=== Responsible Party ===

Company Name:CHEMICAL PRODUCTS GRP,LORD CORP

Address:1635 W 12TH STREET

Box:10039

City:ERIE

State:PA

ZIP:16514

Country:US

CAGE:00065

=== Contractor Iden

tification ===

Company Name:CHEMICAL PRODUCTS COMPANY,INC

Address:7649 SW 34TH ST

City:OKLAHOMA CITY

Phone:301-272-0100

CAGE:00065

Company Name:LORD CORP AEROSPACE PRODUCTS DIVISION

Address:1635 W 12TH STREET

Box:10039

City:ERIE

State:PA

ZIP:16514

Country:US

Phone:814-868-5424

CAGE:76005

===== Composition/Information on Ingredients =====

Ingred Name:NETHYL-N-BUTYL KETONE

RTECS #:PI6300000

Fraction by Wt: 56%

ACGIH TLV:25PPM

Ingred Name:METHYL ISOBUTYL KETONE (HEXONE) (SARA

III)
CAS:108-10-1
RTECS #:SA9275000
Fraction by Wt: 24%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:50 PPM/75 STEL; 9394
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:AROMATIC AMINE
Fraction by Wt: 10%

===== Hazards Identification =====

Effects of Overexposure:SKIN, EYE & RESPIRATORY IRRITANT & LIVER TOXIN.

===== First Aid Measures =====

First Aid:ALWAYS CONSULT A DR. FOR INHAL,REMOVE TO FRESH
AIR,GIVE
OXYGEN AS NEEDED.FLUSH EYES W/WATER FOR 15 MIN.WASH AFFECTED SKIN
AREAS W/LG AMTS OF WATER.INGESTION-DILUTE BY DRINKING 1-2 GLASSES
OF WATER.DO NOT INDUCE VOMITING.CONSULT PHY OR POISON CONTROL

===== Fire Fighting Measures =====

Flash Point:74F SCC 23 C
Lower Limits:1.22
Upper Limits:8.0
Extinguishing Media:WATER FOG,CARBON DIOXIDE (CO*2),DRY CHEM,REG OR
ALCOHOL-TYPE
Fire Fighting Procedures:FULL PROTECTIVE EQPMT,INCLUDING SELF-CNTND
BRTHG APP
Unusual Fire/Explosion Hazard:KEEP CONTAINERS TIGHTLY CLOSED.ISOLATE FR
HEAT,ELECTRICAL EQPMT,SPARKS & OPEN FLAME,WATER FOG.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP ON ABSORBENT MATERIAL USING
NONSPARKING TOOLS.FLUSH AREA W/WATER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE NEAR HEAT OR OPEN FLAMES
Other Precautions:PREVENT LONG TERM EXPOSU

RE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR ANSI APPRVD RESPIRATOR EQPMT.SPRAY MIST
MUST BE CONS.TOXIC IF
Ventilation:MECH-POSITIVE FRESH AIR EXHAUST
Protective Gloves:NEOPRENE OR BUT
Eye Protection:USE EYEWEAR W/SPLASH GUAR
Other Protective Equipment:FRESH AIR SUPPLIED HOODS SHD BE USED IN
CLOSED VESSELS.SKIN
Supplemental Safety and Health
EMER. & FIRST AID COND: DO NOT INDUCE VOMITTING CONSULT A DR. OR POSION
CONTROL CENTER
IMMEDIATELY. KEY1;F4.

===== Physical/Chemical Properties =====

HCC:F3
Boiling Pt:B.P. Text:239-260 F
Vapor Pres:3MM
Vapor Density:3.45
Evaporation Rate & Reference:N-BUTYL ACET 1 1.0
Solubility in Water:NONE
Percent Volatiles by Volume:83

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:CARBON DIOXIDE (CO*2),CARBON
MONOXIDE(CO) & OXIDES OF NITROG

=====

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/FEDERAL,STATE & LOCAL
REGS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should see

k competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.