

SELECTRONS LTD -- SCM 4350 -- 6850-01-064-6637

===== Product Identification =====

Product ID:SCM 4350

MSDS Date:05/05/1986

FSC:6850

NIIN:01-064-6637

MSDS Number: BGJYP

=== Responsible Party ===

Company Name:SELECTRONS LTD

Address:137 MATTATUCK HEIGHTS ROAD

Box:115

City:WATERBURY

State:CT

ZIP:06725-0115

Country:US

Info Phone Num:203-755-9900

Emergency Phone Num:203-755-9900

CAGE:13929

=== Contractor Identification ===

Company Name:SELECTRONS LTD

Address:137 MAT

TATUCK HEIGHTS ROAD

Box:115

City:WATERBURY

State:CT

ZIP:06725-0115

Country:US

Phone:203-755-9900

CAGE:13929

===== Composition/Information on Ingredients =====

Ingred Name:ORGANIC ACIDS (TYPE NOT SPECIFIED)

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Ingred Name:ORGANIC ALKALI (BASES)TYPE NOT SPECIFIED

Ingred Name:ORGANIC SALTS (TYPE NOT SPECIFIED)

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingesti

on: YES

Health Hazards Acute and Chronic: ACUTE: SLIGHT IRRITATION OF EYES & SKIN; NO OTHER INFORMATION HAS BEEN PROVIDED BY THE MFR. CHRONIC: NO OTHER DATA AVAILABLE.

Effects of Overexposure: SKIN/EYE: MAY CAUSE SLIGHT IRRITATION; INGESTION/INHALATION: NONE NOTED BY MFR.

Medical Condition Aggravated by Exposure: NO DATA AVAILABLE.

=====
First Aid Measures
=====

First Aid: SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER. INHALED: REMOVE TO FRESH AIR. REMOVE CONTAMINATED CLOTHING.

=====
Fire Fighting Measures
=====

Flash Point: NONE

Extinguishing Media: EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE.

Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard: NONE NOTED BY MANUFACTURER.

=====
Accidental Release Measures
=====

==

Spill Release Procedures: USE GLOVES (RUBBER) & SAFETY GLASSES. ABSORB SPILLS WITH AN INERT ABSORBENT & TAKE TO DISPOSAL AREA FOR TREATMENT & LATER DISPOSAL. SMALL SPILL QTY CAN BE WASHED & FLUSHED AWAY TO SEWER/DRAIN WITH LARGE AMOUNTS OF WATER.

=====
Handling and Storage
=====

Handling and Storage Precautions: STORE IN COOL, DRY, & WELL VENTILATED AREA. AVOID PHYSICAL DAMAGE TO THE CONTAINER.

Other Precautions: AVOID CONTACT WITH EYES AND SKIN; DO NOT BREATHE VAPORS/MIST; WASH THOROUGHLY AFTER EACH USE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT.

Ventilation: NORMAL ROOM VENTILATION.

Protective Gloves: IMPERVIOUS

Eye Protection: CHEM SPLASH GOGGLES

Other Protective Equipment: FULL WORK CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT.

Supplemental Safety and Health

MSDS DATED MAY 5, 1986; SOLUTION PH: 4.7; INGREDIENTS WERE

NOTED FROM

OLD MSDS RECEIVED JULY 23, 1984.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F/100C

Spec Gravity:1.095

Solubility in Water:MISCIBLE

Appearance and Odor:LIGHT BLUE SOLUTION.NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NOT KNOWN

Stability Condition to Avoid:HIGH TEMPERATURES

Hazardous Decomposition Products:NONE NOTED BY MFR

===== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.