View NSN Online: https://aerobasegroup.es/nsn/6850-01-067-6670

SIFCO SELECTIVE PLATING, DIV OF SIFCO INDUSTRIES -- 30101006 CLEANING & DEOXIDIZING

SOLUTION -- 6850-01-067-6670

Product ID:30101006 CLEANING & DEOXIDIZING SOLUTION

MSDS Date:04/17/1990

FSC:6850

NIIN:01-067-6670

MSDS Number: BGKDL === Responsible Party ===

Company Name: SIFCO SELECTIVE PLATING, DIV OF SIFCO INDUSTRIES

Address:5708 SCHAFF ROAD

City:CLEVELAND

State:

ZIP:44131-1394

Country:US

Info Phone Num:216-881-8600

Emergency Phone Num:216-881-8600

Preparer's Name: WERNER A EHRENSCHNEIDER

CAGE:DO645

=== Contractor Identification ===

Company Name: SIFCO SELECTIVE PLATING DIV OF SIFCO INDUSTRIES INC.

Address: 5708 SCHAAF ROAD

Box:City:CLEVELAND

State:OH

ZIP:44131-1394

Country:US

Phone:216-524-0099/ FAX: -6331

CAGE:11924

Company Name: SIFCO SELECTIVE PLATING, DIV OF SIFCO INDUSTRIES INC

Address:5708 SCHAAF ROAD

City:CLEVELAND

State:OH

ZIP:44131-1394

Count rv:US

Phone:216-524-0099

CAGE:DO645

======= Composition/Information on Ingredients ========

Ingred Name:SODIUM HYDROXIDE (SARA III)

CAS:1310-73-2

RTECS #:WB4900000 Fraction by Wt: 5%

Other REC Limits: NOT SPECIFIED

OSHA PEL:2 MG/M3

ACGIH TLV:C 2 MG/M3; 9293

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: UNIDENTIFIED COMPONENTS

Ingred Name:WATER; CAS #7732-18-5

CAS:7732-18-5

RTECS #:ZC0110000

ixture:TLV FOR SODIUM HYDROXIDE IS 2 MG/M3.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-INHALE:BURNING NOSE &

THROAT,SNEEZING,COUGHING,SEVERE IRRITATION,PULMONARY

EDEMA.EYE:INTENSE IRRITATION,WATERING,BURNS,ULCERATION.MAY CAUSE

LOSS OF EYES.SKIN:ITCHING,TINGLING,PAINFUL ULCERATION,

SHOCK.ORAL:INTENSE BURNING SENSATION INMOUTH,THROAT,STOMACH,BLOODY

HRONIC-DERMATITIS.

DIARRHEA.DEATH POSSIBLE.C

Effects of Overexposure:BURNING NOSE & THROAT, SNEEZING, COUGHING, SEVERE IRRITATION, PULMONARY EDEMA IF INHALED. INTENSE EYE IRRITATION, WATERING, BURNS, ULCERATION. MAY CAUSE LOSS OF EYES. ITCHING, TINGLING, PAINFUL ULCERA TION, SHOCK IF SKIN IS CONTACTED. ORALLYCAN CAUSE INTENSE BURNING SENSATION IN MOUTH, THROAT, STOMACH. BLOODY DIARRHEA.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE MORE SUSCEPTIBLE TO THIS MATERIAL.

=======================================	First Aid Measures	

First Aid:GET MEDICAL ATTENTION IMMEDIATELY.EYE/SKIN:IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES.HOLD EYELIDS OPEN.INHALED:REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED.ORAL:DO NOT INDUCE VOMITING .IF CONSCIOUS,RINSE MOUTH & DRINK COLD WATER,MILK WITH 1-2 RAW EGGS,FRUIT JUICE,A GLASS OF 1/3 VINEGAR AND 2/3 WATER.CALL A PHYSICIAN IMMEDIATELY.NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

	Fire Fighting Measures	
--	------------------------	--

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE. RUNOFF FROM FIRE CONTROL WATER MAY CAUSE POLLUTION. Unusual Fire/Explosion Hazard:EXCESSIVE HEAT MAY CAUSE CONTAINERS TO

