

View NSN Online: <https://aerobasegroup.es/nsn/8030-01-097-9102>

M & T CHEMICALS IN,FURANE PRODUCTS DIV. -- URALANE 5753 B -- 8030-01-097-9102

===== Product Identification =====

Product ID:URALANE 5753 B

MSDS Date:01/01/1987

FSC:8030

NIIN:01-097-9102

MSDS Number: BGLRM

=== Responsible Party ===

Company Name:M & T CHEMICALS IN,FURANE PRODUCTS DIV.

Address:5121 SAN FERNANDO ROAD WEST

City:LOS ANGELES

State:CA

ZIP:90039

Info Phone Num:818-247-6210/215-592-3000

Eme

rgency Phone Num:818-247-6210/215-592-3000

CAGE:DO437

=== Contractor Identification ===

Company Name:CIBA SPECIALTY CHEMICALS CORP, N. A. / PERFORMANCE
POLYMERS

Address:5121 SAN FERNANDO RD WEST

Box:City:LOS ANGELES

State:CA

ZIP:90039-1011

Country:US

Phone:818-247-6210/800-873-1138

CAGE:99384

Company Name:M & T CHEMICALS

Address:P.O.BOX 1104

Box:1104

City:RAHWAY

State:NJ

ZIP:07065

Phone:215-587-7695

CAGE:DO437

===== Composition/Information on Ingredients =====

Ingred Name

:HYDROXY TERMINATED POLYOLS

Fraction by Wt: 100%

Other REC Limits:N/K

OSHA PEL:N/K

ACGIH TLV:N/K

===== Hazards Identification =====

LD50 LC50 Mixture:N/K

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Explanation of Carcinogenicity:N/A

Effects of Overexposure:INHAL:VAPORS/MSTS CAN BE HARMFUL IF

INHALED.EYE:MODERATELY IRRITATING TO EYES.SKIN:SLIGHTLY IRRITATING

TO SKIN.INGESTION:POSSIBLY HARMFUL IF SWALLOWED.DELAYED

EFFECTS:PROLONGED/REPE

ATED EXPOSURE CAN C AUSE ALLERGIC REAC.SEE

OTHER PRECAUTIONS.

Medical Cond Aggravated by Exposure:N/K

===== First Aid Measures =====

First Aid:EYES:FLUSH EYES IMMED W/LGE AMTS OF WTR FOR AT LEAST 15

MIN.GET PROMPT MEDICAL ATTN.SKIN:WASH THOROUGHLY W/SOAP AND

WATER.REMOVE AND WASH CLOTHING BEFORE REUSE.INGESTION:IF SWALLOWED

DILUTE BY GIVING 2 GLASSES OF WATER TO DRINK.SEE A PHYSICIAN.NEVER

GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PESO

N.INHAL:RMV TO FRESH

AIR.SUPPORT BREATHING(GIVE O*2/ARTIFICIAL RESPIRATION).

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:449.6F/232C

Lower Limits:N/K

Upper Limits:N/K

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER SPRAY

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS

(PRESSURE-DEMAND,MSHA/NIOSH-APPROVED OR EQUIVALENT) AND FULL

PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:NONE

=====

== Accidental Release Measures =====

Spill Release Procedures:DIKE & ABSORB SPILL ON INERT
MATL(SAND;EARTH,ETC).TRANSFER TO CONTAINERS FOR DISPOSAL.RMV
CONTAMINATED CLOTHING & WASH AFFECTED SKIN AREAS WITH SOAP AND
WATER. WASH CLOTHING BEFORE REUSE.
Neutralizing Agent:N/K

===== Handling and Storage =====

Handling and Storage Precautions:AVOID ALL SKN CONT.MAY CAUSE ALLERGIC
REAC.WASH EXPOSED AREAS THORO W/SOAP & WTR AFTER HAND
LNG THS
MATL.STOR INDOORS IN COOL,DRY AREA W/ADEQU(SUP DAT)
Other Precautions:NOTE TO PHYSICIAN:ALLERGIC DERMATITIS/RESPIRATORY
RESPONSE IN SUSCEPTIBLE INDIVIDUALS MAY BE DELAYED.IT MAY APPEAR
AFTER WEEKS OR EVEN MONTHS OR FREQUENT & PROLONGED CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED IF GOOD VENTILATION IS
MAINTAINED.WEAR RESPIRATOR (MSHA/NIOSH-APPROVED) SUITABLE FOR
CONCENTRATIONS OF AIR CONTAMINANT
ENCOUNTERED.
Ventilation:NORMAL ROOM VENTILATION
Protective Gloves:IMPERVIOUS (PLASTIC)
Eye Protection:CHEM WORKERS GOGGLES
Other Protective Equipment:SAFETY SHOWER AND EYEWASH FACILITY.
Work Hygienic Practices:N/K
Supplemental Safety and Health
PCT VOLT VOL:N.PH:N.RT OF ENTRY:HDLG/STOR PREC;VENT. KEY1:N1.

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:N/K
Melt/Freeze Pt:M.P/F.P Text:N/K
Decomp Temp:Decomp Text:N/K
Vapor Pres:N/K
Vapor Den

sity:>1 AIR=1
Spec Gravity:1.05
pH:N/K-FP
Evaporation Rate & Reference: