

CERTIFIED LABORATORIES.DIV OF NCH CORP -- LONG-LIFE 20/20;PROD.CODE#0407 --
6508-01-148-1611

===== Product Identification =====

Product ID:LONG-LIFE 20/20;PROD.CODE#0407
MSDS Date:12/11/1985
FSC:6508
NIIN:01-148-1611
MSDS Number: BGNXV
=== Responsible Party ===
Company Name:CERTIFIED LABORATORIES.DIV OF NCH CORP
Address:2730 CARL ROAD
Box:152170
City:IRVING
State:TX
ZIP:75061
Country:US
Info Phone
Num:800-527-9919
Emergency Phone Num:214-438-4144 EXT.013
Preparer's Name:RICHARD STOLLEY/T.S.CHEM
CAGE:53417

=== Contractor Identification ===

Company Name:CERTIFIED LABS DIV OF NCH CORP
Box:152170
City:IRVING
State:TX
ZIP:75015
Country:US
Phone:214-438-1381972-438-1381
CAGE:53417

===== Composition/Information on Ingredients =====

Ingred Name:AQUEOUS COOLANT SOLUTION (NON HAZARDOUS INGREDIENTS,
FORMULA IS PROPRIETARY)

===== Hazards Identification =====

=====

Health Hazards Acute and Chronic:ACUTE:EYE IRRITATION;LARGE QUANTITIES
IF INGESTED CAN CAUSE NAUSEA. CHRONIC:NOT KNOWN
Effects of Overexposure:MAY CAUSE IRRITATION OF EYES OR SKIN;LARGE
QUANTITIES IF INGESTED CAN CAUSE NAUSEA.
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE

===== First Aid Measures =====

First Aid:EYES:FLUSH WITH LARGE AMOUNTS OF WATER FOR ABOUT 15 MINUTES
AND CALL A PHYSICIAN. SKIN:WASH WITH SOAP AND W
ATER,USE
CREAM.INGESTION:GIVE TWO GLASS OF WATER,SEEK MEDICAL HELP.

===== Fire Fighting Measures =====

Flash Point:NON
Extinguishing Media:FOAM,DRY CHEMICAL WATER SPRAY (IF NEEDED FOR
SURROUNDING FIRE)
Fire Fighting Procedures:NONE NOTED
Unusual Fire/Explosion Hazard:NONE NOTED

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION.CONTAIN SPILLED
MATERIAL;USE SUITABLE INERT MAT
ERIAL AND RECOVER FOR PROPER
DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED
AREA.USE PROPER EYE PROTECTION.KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED UNDER NORMAL USE WITH ADEQUATE
VENTILATION.
Ventilation:GENERAL EXHAUST
Protective Gloves:RUBBER
Eye Protection:GOGGLES OR FACE SHIELD
Other

Protective Equipment:APRON FOR SKIN PROTECTION.
Work Hygienic Practices:AVOID CONTACT WITH SKIN AND EYES:DO NOT BREATHE
VAPORS.WASH THOROUGHLY AFTER EACH USE.
Supplemental Safety and Health
MSDS RECEIVED BY DGSC:NOV 13,1987.

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:212F/100C
Vapor Pres:18.0
Vapor Density:0.6
Spec Gravity:1.060
Evaporation Rate & Reference:0.6
Solubility in Water:COMPLETE
Appearance and Odor:SEMI-VISCOUS,SLIGHTLY S
WEET,FLUORESCENT YELLOW
GREEN TRANSPARENT.
Percent Volatiles by Volume:50.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
DO NOT MIX WITH NITRATE OR NIT-RITE COMPOUNDS.
Stability Condition to Avoid:EXTREME HEAT
Hazardous Decomposition Products:NONE NOTED

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH
LOCAL,STATE AND FEDERAL REGU
LATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particul

ar situation.