

Product ID:AC 15;CLEANING COMPOUND

MSDS Date:05/01/1986

FSC:6850

NIIN:01-184-7453

MSDS Number: BGPZY === Responsible Party ===

Company Name: CORAL CHEMICAL CO.

Address:135 LE BARON STREET

City:WAUKEGAN

State:IL

ZIP:60085-3026

Country:US

Info Phone Num:312-338-8100

Emergency Phone Num:312-338-8100

Preparer's Name: GL TUPPER, TECH DIRECTOR

CAGE:8C661 === Contractor Identification ===

Company Name: CORAL CHEMICAL CO

Address:7200 CORAL LANE

City:PARAMOUNT

State:CA

ZIP:90723-3909

Country:US

Phone:310-531-6363

CAGE:8C661

Company Name: CORAL INTERNATIONAL CHEMICAL COMPANY

Address: 135 LE BARON STREET

City:WAUKEGAN

State:IL

ZIP:60085-3026 Country:US

Phone:800-228-4646

CAGE:57042

======= Composition/Information on Ingredients ========

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000 OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9293

Ingred Name:O

THER COMPONENTS (NOT SPECIFIED)
========== Hazards Identification ============
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:ACUTE:SKIN IRRITATION; EYES BURNING SENSATION,SEVERE IRRITATION; BREATHING WILL CAUSE COUGHING,IRRITATION OF NOSE & THROAT. CHRONIC:IRRITATION,KIDNEY DAMAGE.
Effects of Overexposure:SEE HEALTH HAZARDS DATA. Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN
======================================
First Aid:SKIN:FLUSH WITH PLENTY OF WATER;USE CREAM. EYES:FLUSH WITH PLENTY OF WATER,SEEK MEDICAL ATTENTION. INHALATION:REMOVE TO FRESH AIR.SEEK MEDICAL HELP IF NEEDED.
======================================
Autoignition Temp:Autoignition Temp Text:NONE Extinguishing Media:USE PROPER MEDIA FOR SURROUNDING FIRES. Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA. Unusu
al Fire/Explosion Hazard:NONE NOTED
======== Accidental Release Measures ==========
Spill Release Procedures:USE PROPER PERSONAL PROTECTION.CONTAIN FREE LIQUID;USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.
============ Handling and Storage =============
Handling and Storage Precautions:STORE IN A COOL & DRY LOCATION;KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.
====== Exposure Controls/Personal Protection

=========

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/MIST IF ABOVE TLV/PEL.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves: IMPERVIOUS

Eye Protection: CHEMICAL GOGGLES OR FACE SHIELD

Other Protective Equipment:EYE-PROTECTION,EYE-WASH,APRON,SAFETY SHOWER,PROTECTIVE CLOTHING

Work Hygienic Practices: AVOID CONTACT WITH EYES AND SKIN; DO NOT BREATHE VAPORS/MIST. WASH THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

THIS NSN RE

PLACES NSN 6850-00-935-0996

======== Physical/Chemical Properties ===========

HCC:N1

Boiling Pt:B.P. Text:>212F/100C

Vapor Pres:AS OF WATR Vapor Density:AS OF WATR

Spec Gravity: 1.06

Solubility in Water: COMPLETE

Appearance and Odor:CLEAR,BROWN LIQUID,BLAND ODOR

Percent Volatiles by Volume:>60.0

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES STRONG ACIDS,STRONG OXIDIZING AGENTS Stability Condition to Avoid:EXTRE ME HEAT

Hazardous Decomposition Products:CO*2,CO,OXIDES OF NITROGEN

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this i

nformation to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.