

ROYAL LUBRICANTS CO.,INC -- AEROSHELL 555 -- 9150-01-209-3399

===== Product Identification =====

Product ID:AEROSHELL 555

MSDS Date:01/01/1987

FSC:9150

NIIN:01-209-3399

MSDS Number: BGQQL

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS CO.,INC

Emergency Phone Num:(201) 887-7410

CAGE:07950

=== Contractor Identification ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:215 MERRY LN

Box:

518

City:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

===== Composition/Information on Ingredients =====

Ingred Name:SYNTHETIC ESTER-BASED FLUID OIL (WITH OTHER COMPONENTS-TYPE
NOT IDENTIFIED)

Fraction by Wt: 100%

===== Hazards Identification =====

Effects of Overexposure:EYES:MAY IRRITATE;SKIN:PROLONGED/REPEATED
CONTACT MAY CAUSE IRRITN;INHAL/INGES:LOW ORDER OF TOXICITY

===== Fir

st Aid Measures =====

First Aid:SKIN:WASH W.SOAP & H*2O. EYES:FLUSH W. H*2O. INGESTED:DON'T
INDUCE VOMITING. INHALED:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF
NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. NEVER GIVE
ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.

===== Fire Fighting Measures =====

Flash Point:>500F/>260C(COC)

Extinguishing Media:CO*2, FOAM, DRY CHEM.DO NOT USE WATER JET

Fire Fighting Procedures:WEAR SELF-CNTD B

RTHG,APP H*20 SPRAY TO COOL
CONTR.

Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITION SOURCES,VENTILATE AREA
WELL.ABSORB WITH VERMICULITE OR OTHER MATERIALS, SUCH AS
SAWDUST,RAGS,PAPER & PLACE IN CLOSED CONTAINER. USE NON SPARKING
TOOLS. WEAR PROPER PROTECTIVE EQUIPMENT DURING CLEAN UP.

===== Handling and Storage =====

Handlin

g and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED
AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP
CONTAINERS TIGHTLY CLOSED

Other Precautions:MINIMIZE SKIN CONTACT.WASH W/SOAP & WATER BEFORE
EATING.LAUNDER CONTMNTD CLOTHING BEFORE REUSE.DISPOSE OF
CONTAMINATED LEATHER SHOES.KEEP/USE AWAY FROM IGNITION SOURCES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NEEDED;HOWEVER,USE NIOSH-APPRVD RESP TO
P
REVENT OVEREXPOSURE.

Ventilation:NO SPECIAL REQUIREMENTS W ADEQUATE VENT.

Protective Gloves:IMPERVIOUS

Eye Protection:CHEM SPLASH GOGGLES

Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.

Supplemental Safety and Health

MSDS NUMBER:ROYAL 555; THIS MSDS NOT DATED;SPEC REFERENCE: MIL-L-85734

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:NOT KNOWN

Spec Gravity:1.0

Solubility in Water:NEGLIGIBLE

Appearance and Odor:LIGHT TAN SYN

THETIC FLUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid: EXCESSIVE HEAT

Hazardous Decomposition Products: INCOMPLETELY BURNED CARBON PRODUCTS,
CO*2, CO.

===== Disposal Considerations =====

Waste Disposal Methods: SM & LG SPILL: DEPOSIT IN A POSTED TOXIC
SUBSTANCE LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL
REGULATIONS

Dis

claimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.