View NSN Online: https://aerobasegroup.es/nsn/6850-00-209-7235

CASTROL INC, BRAY PRODUCTS DIV. -- BRACO 482 -- 6850-00-209-7235

Product ID:BRACO 482 MSDS Date:11/21/1988

FSC:6850

NIIN:00-209-7235

MSDS Number: BGTNQ === Responsible Party ===

Company Name: CASTROL INC, BRAY PRODUCTS DIV.

Address:16715 VON KARMAN AVE., SUITE 230

City:IRVINE State:CA ZIP:92714

Info Phone Num:714-660-9414

Emergency Phone Num:714-660-9414

Preparer's

Name: KAREL WRIGHT

CAGE:KO468

=== Contractor Identification ===

Company Name: CASTROL INC, BRAY PRODUCTS DIV.

Address:16715 VON KARMAN AVE., SUITE230

Box:City:IRVINE

State:CA ZIP:92714 Country:US

Phone:714-660-9414

CAGE:KO468

Company Name: CASTROL INDUSTRIAL NORTH AMERICA INC SPECIALTY PRODUCTS

DIV

Address:1001 WEST 31ST STREET

Box:City:DOWNERS GROVE

State:IL

ZIP:60515-1280 Country:US

Phone: 800-621-2661/FAX: 630-241-4140

CAGE:2R128

====== Composition/Information on Ingredients ======

====== Ingred Name: MIL-L-6O82 GRADE 1100 LUBRICATING OIL (PER SPEC) Fraction by Wt: 3% PARTS Other REC Limits: ACGIH STEL 10 MG/M3 OSHA PEL:5 MG/M3 OIL MIST ACGIH TLV:5 MG/M3 OIL MIST Ingred Name: CORROSION INHIBITOR PER MIL-C-6592 TY I (PER SPEC) Fraction by Wt: 1% PART Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PRODUCT IS VER Y LOW TOXICITY. IT WILL NOT PRESENT AN INHALATION UNDER NORMAL USE. IT COULD BE MISTED AND THEN WOULD BE HAZARDOUS AND SUBJECT TO A PEL/TLV. Effects of Overexposure:EYE:IRRITATION,REDNESS. SKIN:IRRITATION, DEFATTING, DERMATITIS. INHALED: (MIST) RESPIRATORY IRRITATION. Medical Cond Aggravated by Exposure: NONE REPORTED. First Aid:EYE:FLUSH WITH WATER 15 MIN. SKIN:WASH WITH SOAP & WATER. INHALED: REMOVE TO FRESH A IR. GIVE ARTIFICIAL RESPIRATION OR OXYGEN AS NEEDED. INGESTED:DO NOT INDUCE VOMITING. GIVE LARGE QUANTITY OF MILK OR WATER. (NOTHING BY MOUTH IF UNCONSCIOUS.) GET IMMEDIATE MEDICAL ATTENTION. IF ANY IRRITATION PERSISTS OR IS SEVERE, GET PROMPT MEDICAL CARE.

Flash Point Method:COC Flash Point:495F/256C Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM. Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING AP

| WATER TO COOL FIRE EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard:NONE. |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ========= Accidental Release Measures ========== |
| Spill Release Procedures:ADSORB WITH INERT MATERIAL. SCOOP INTO CLOSED CONTAINERS PENDING DISPOSAL. Neutralizing Agent:NONE |
| ========== Handling and Storage ============ |
| Handling and Storage Precautions:STORE IN A COOL,DRY,WELL VENTILATED AREA. |
| ====== Exposure Controls/Personal Protection ======= ===== |
| Respiratory Protection:NONE EXPECTED TO BE NECESSARY.IF PRODUCT IS MISTED, WEAR NIOSH/MSHA APPROVED CARTRIDGE RESPIRATOR FOR OIL MISTS. |
| Ventilation:NORMAL ROOM VENTILATION SHOULD BE SUFFICIENT. Protective Gloves:RUBBER,PLASTIC,OTHER IMPERVIOUS. Eye Protection:SAFETY GLASSES OR SPLASH GOGGLES. Work Hygienic Practices:USE GOOD INDUSTRIAL HYGIENE PRACTICE. AVOID |
| UNNECESSARY CONTACT. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. |
| Supplemental Safety and Health |
| ======= Physical/Chemical Properties ========== |
| HCC:N1 Boiling Pt:B.P. Text:>500F/260C Vapor Density:>1 Spec Gravity:0.86 |
| Evaporation Rate & Description R |
| Appearance and Odor:AMBER LIQUID,PETROLEUM HYDROCARBON ODOR. Percent Volatiles by Volume:NIL |
| ======== Stability and Reactivity Data ========= |
| Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS. |
| Stability Condition to Avoid:EXTREME HEAT, OPEN FLAME. Haza |

PARATUS.USE

| rdous Decomposition Products: NORMAL PRODUCTS OF COMBUSTION, CARBOI |
|---------------------------------------------------------------------|
| DIOXIDE, CARBON MONOXIDE, SMOKE, ETC. |

======= Disposal Considerations ==========

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE,LOCAL REGULATIONS. MFR SUGGESTS INCINERATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or

implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.