

ELDORADO CHEMICAL COMPANY, INC. -- PR-3500 -- 8010-00-926-1489

===== Product Identification =====

Product ID:PR-3500

MSDS Date:07/27/1988

FSC:8010

NIIN:00-926-1489

MSDS Number: BGWQN

=== Responsible Party ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265

Country:US

Info Phone Num:512-653-9323

Emergency Phone Num:800-531-1088

Preparer's Name:PAT E. SMITH

CAGE:55208

=== Contractor Identifica

tion ===

Company Name:ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837

Country:US

Phone:800-531-1088/ 210-653-2060

CAGE:55208

===== Composition/Information on Ingredients =====

Ingred Name:METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000

Fraction by Wt: 50%

OSHA PEL:500 PPM/C,1000; Z2

ACGIH TLV:50 PPM, A2; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:PHENOL

CAS:108-95-2

RTECS #:SJ3325000

Fr

action by Wt: 17%
OSHA PEL:5 PPM
ACGIH TLV:5 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM CHROMATE
CAS:7775-11-3
Fraction by Wt: 0.8%
OSHA PEL:NONE
ACGIH TLV:.5 PPM
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHAL: ACUTE, ABSORBED IN LUNGS.
CHRONIC, NONE. SKIN: ACUTE,
CORROSIVE & CHRONICSLIGHT. SKIN: ACUTE,
SLIGHT & CHRONIC, NONE. & EYE: ACUTE, CORROSIVE & CHRONIC, SLIGHT
Effects of Overexposure:INHAL: NARCOSIS, DIZZINESS, NAUSEA, REDUCES
OXYGEN IN BLOOD. SKIN: CORROSIVE, DERMATITIS MAY OCCUR. SKIN:
CONTACT IS PAINFUL, SKIN ABSORPTION WOULD BE UNLIKELY.NO CHRONIC
HAZARD. AND EYES: BURNS EYES IMMEDIATELY, NO CHRONIC HAZARD
EXPECTED

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR
15 MIN. CONSULT PHYSICIAN. SKIN:
FLUSH WITH WATER FOR15 MIN. WASH WITH SOAP AND WATER AND
INHALATION: REMOVE TO FRESH AIR

===== Fire Fighting Measures =====

Flash Point:NONE
Lower Limits:NONE
Upper Limits:NONE
Extinguishing Media:NONE
Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS REQUIRED
Unusual Fire/Explosion Hazard:TOXIC CHLORIDE FUMES MAY BE GENERATED BY
CONTACT WITH FLAME

===== Accidental Release Measures =====

=====

Spill Release Procedures:RINSE WITH WATER

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SCBA REQUIRED IF LIMITS EXCEEDED

Ventilation:100 FT/MIN

Protective Gloves:POLYETHYLENE

Eye Protection:FACE SHIELD & GOGGLES

Other Protective Equipment:RUBBER APRON & BOOTS

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:120 F

Melt/Freeze Pt:M.P/F.P Text:NA

Vapor Pres:380 M

M

Vapor Density:2.9

Spec Gravity:1.15

pH:9.2

Evaporation Rate & Reference:(WATER=1) 1

Solubility in Water:PARTIALLY SOLUBLE

Appearance and Odor:THICK YELLOW LIQUID PHENOL ODOR

Percent Volatiles by Volume:70

===== Stability and Reactivity Data =====

STRONG ALKALIS, STRONG OXIDIZERS

Hazardous Decomposition Products:HEAT WILL PRODUCE DICHLOROMETHANE
FUMES

===== Disposal Considerations =====

Waste Disposal Methods:USEPA HAZARDOUS

WASTE NO.'S U080, U188, D007

CONSULT FEDERAL, STATE AND LOCAL REGULATORY AGENCIES FOR PROPER
DISPOSAL

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional a

dvice to verify and
assume responsibility for the suitability of this information to their
particular situation.