View NSN Online: https://aerobasegroup.es/nsn/8010-00-242-6319

PRATT AND LAMBERT INC -- LACQUER C/N GLOSS 21 BLUE 15044 ID786504 -- 8010-00-242-6319

Product ID:LACQUER C/N GLOSS 21 BLUE 15044 ID786504

MSDS Date:12/15/1988

FSC:8010

NIIN:00-242-6319

MSDS Number: BHBWQ === Responsible Party ===

Company Name: PRATT AND LAMBERT INC

Address:16116 E 13TH ST

Box:2153 City:WICHITA State:KS

ZIP:67201 Country:US

Info Phone Num:316-733-1

361

Emergency Phone Num:716-873-6000 DOT EMER 8002553924

Preparer's Name: W.A. ELLISON

CAGE:61196

=== Contractor Identification ===

Company Name: PRATT AND LAMBERT INC

Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027 Country:US

Phone:216-566-2902

CAGE:61196

======= Composition/Information on Ingredients ========

Ingred Name: ISOBUTYL ACETATE (SARA III)

CAS:110-19-0

RTECS #:AI4025000 OSHA PEL:150 PPM

ACGIH TLV:150 PPM; 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: ISOPRO

PYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

Ingred Name: NITROCELLULOSE

CAS:9004-70-0

RTECS #:QW0970000

OSHA PEL:NONE ESTABLISHED ACGIH TLV:NONE ESTABLISHED

Ingred Name: ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

Ingred Name: PETROLEUM DISTILLATES (NAPHTHA OR RUBBER SOLVENT)

CAS:8002-05-9

RTECS #:SE7449000 OSHA PEL:400 PPM

ACGIH TLV:400 PPM; 8990

Ingred Na

me:DI-SEC-OCTYL PHTHALATE (DI-2-ETHYLHEXYL-PHTHALATE) (SARA III)

CAS:117-81-7

RTECS #:TI0350000

OSHA PEL:5 MG/M3/10 STEL ACGIH TLV:5 MG/M3; 9192

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name: NAPHTA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:DE3030000 OSHA PEL:100 PPM

Ingred Name: VOL ORGANIC CMPD 5.3 LB/GL LESS WATER & NPRS* 636 G/L LESS WATER VOC 24.8 LB/GAL SOLIDS 2976 G/L SOLIDS CALCULATED

RTECS #:9999999VO

========== Hazards Identification =========

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:SWALLOWING/GASTROINTESTINAL

IRRITATION, NAUSEA, VOMITING. INHALATION/MAY CAUSE NOSE, THROAT IRRIT. HIGH CONCENTRATIONS MAY CAUSE ACUTE CENTRAL NERVOUS SYSTEM DEPRESSION. EYE/IRRITATION. SKIN/MAY CAUSE DE FATTING, IRRITATION OF THE SKIN.

Explanation of Carcinogenicity:DI(2-ETHYLHEXYL) PHTHALATE IS LISTED AS A POTENTIAL CARCINOGEN BY THE NATIONAL TOXICOLOGY PROGRAM.

Effects of Overexp

osure:PROLONGED AND REPEATED OCCUPATIONAL

OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. DELIBERATE CONCENTRATION AND INHALING THE CONTENTS MAY BE HARMFUL OR FATAL.

First Aid:SWALLOWING/DO NOT INDUCE VOMITING. GET MED ATTN.
INHALATION/GET FRESH AIR IMMED. IF BREATHING HAS STOPPED,GIVE
ARTIFICIAL RESPIRATION.GET MED ATTN. EYE/FLUSH WITH LG AMT OF WATER
FOR 15 MIN. GET MED A TTN

. SKIN/FLUSH THE CONTAMINATED AREA W/LG
AMT OF WATER. REMOVE CONTAMINATED CLOTHING. CONSULT A DR. NOTE TO
DR. ANY TREATMENT FOR OVEREXP S/B DIRECTED AT THE CONTROL OF
SYMPTOMS & CLINICAL CONDITIONS

========= Fire Fighting Measures ==============

Flash Point: 20F/-6.67C

Extinguishing Media: USE NFPA CLASS B FIRE EXTINGUISHERS. POLYMER IS PREFERRED FOR LARGE FIRES.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS. WATER MAY BE INEFFECTIVE, B

UT CAN BE USED TO COOL EXPOSED CONTAINERS. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE.

Unusual Fire/Explosion Hazard:OVEREXPOSURE TO DECOMPOSITION PROD MAY CAUSE HEALTH HAZARD. SYMPTOMS MAY NOT BE IMMED APPARENT. OBTAIN MEDICAL ATTN. WARNING:FLAMMABLE.

======== Accidental Release Measures ============

Spill Release Procedures:ELIM ALL IGNITION SOURCES.DIKE & CONTAIN SPILL WITH INERT MATERIAL. USE COVERED METAL CONT FOR RECOVERY OR DISPOSAL. USE ONLY NON-S

PARKING TOOLS.DONT CONTAMINATE SEWERS,STREAMS AND GROUNDWATER. KEEP S PECTATORS AWAY.WEAR APPROPRIATE RESPIRATORS.
======================================
Handling and Storage Precautions:DO NOT STORE ABOVE 95F. STORE LARGE QUANTITIES IN COMPLIANCE WITH OSHA 29CFR1910.106. Other Precautions:DO NOT REUSE CONTAINERS. CONTAINERS SHOULD BE GROUNDED AND BONDED TO THE RECEIVING CONTAINER. DO NOT WELD/BRAZE/CUT ON EMPTY CONT. NEVER USE PRESSURE TO EMPTY. DRUM NOT A PRESSURE VESSEL.CLOSE AFTER EA CH USE.DO NOT TAKE INTERNALLY.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:IN RESTRICTED AREAS A NIOSH RESPIRATOR MAY BE REQUIRED. CONFINED AREAS A NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR. SEE OSHA 29CFR1910.134. RESPIRATORY PROTECTTION AND RESPIRATORY PROTECTION MANUAL AND GUIDELINE, AMER IND HYGIENE ASSOC.
Ventilation:GENERAL AND LOCAL EXHAUST VENTILATION IN SUFFICIENT VOLUME
AND PATTERN TO MAINTAIN CONCENTRATIONS OF SUBSTANCES. Protective Gloves:IMPERMEABLE GLOVES. Eye Protection:SAFETY SPECTACLES. Other Protective Equipment:NOT LIKELY TO BE NEEDED. Supplemental Safety and Health NONE LISTED.
========= Physical/Chemical Properties ==========
HCC:F2 Boiling Pt:B.P. Text:180F/302F Vapor Density:>AIR Evaporation Rate & amp; Reference:SLOWER THAN ETHER Percent Volatiles by Volume:78
======================================
Stability Indicator/Materials to Avoid:YES STRONG ACIDS OR ALKALINE MATERIALS. OXIDIZING MATERIALS. Stability Condition to Avoid:AVOID EXCESSIVE HEAT AND SOURCES OF IGNITION. Hazardous Decomposition Products:BURNING/WELDING/CUTTING WILL PRODUCE SMOKE, CARBON MONOXIDE AND CARBON DIOXIDE.OXIDES OF NITROGEN MAY BE GENERATED. Conditions to Avoid Polymerization:KEEP AWAY FROM HEAT,SPARKS AND FLAME.
======= Disposal Considerations ====================================
Waste Disposa

I Methods:INCINERATE ONLY IN EPA PERMITTED FACILITY.DO NOT INCINERATE CLOSED CONTAINERS.OBSERVE PRECAUTIONS FOR DISPOSAL OF FLAMMABLE MATERIALS. DISPOSE IAW FEDERAL,STATE AND LOCAL LAWS/REGULATIONS.RCRA CLASSIF ICATION D001.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.