

BIRK PAINT MANUFACTURERS,INC. -- ODORLESS SEMI-GLOSS ALKYD ENAMEL ALKYDPAINT --
6810-00-269-2536

=====
===== Product Identification =====

Product ID:ODORLESS SEMI-GLOSS ALKYD ENAMEL ALKYDPAINT

MSDS Date:12/01/1988

FSC:6810

NIIN:00-269-2536

MSDS Number: BHCJV

=== Responsible Party ===

Company Name:BIRK PAINT MANUFACTURERS,INC.

Address:230 KEARNEY AVENUE

City:JERSEY CITY

State:NJ

ZIP:07305

Country:US

Info

Phone Num:201-434-8013

Emergency Phone Num:201-434-8013

CAGE:HO453

=== Contractor Identification ===

Company Name:BIRK PAINT CO

Address:230 KEARNEY AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07305

Country:US

Phone:201-434-8013

CAGE:39335

Company Name:BIRK PAINT MANUFACTURERS,INC.

Address:230 KEARNEY AVENUE

City:JERSEY CITY

State:NJ

ZIP:07305

Phone:201-434-8013

CAGE:HO453

=====
===== Composition/Information on Ingredients =====

Ingred Name:MINERAL SPIRITS

CAS:64741-65-7

Fraction by Wt:

23.0%
OSHA PEL:100 PPM
ACGIH TLV:100 PPM

Ingrd Name:OTHER COMPONENTS (TYPE NOT SPECIFIED)
Fraction by Wt: BALANCE

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:IRRITATION OF
EYES,SKIN,RESPIRATORY AND G.I. SYSTEM,CNS EFFECTS LIKE
HEADACHE,DIZZINESS,WEAKNESS,FATIGUE,NAUSEA,HEADACHE,POSSIBLE
UNCONSCIOUSNESS OR ASP
HYXIATION,NAUSEA,VOMITING,DIARRHEA IN CASE
OF INGESTION,REDNESS OR TEARING OF EYESOR DRYING OR DEFATTING OF
SKIN. CHRONIC:DERMATITIS,RESPIRATORY PROBLEM.
Explanation of Carcinogenicity:DATA PER MSDS.
Effects of Overexposure:SEE HEALTH HAZARDS DATA.
Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE
WORSEN.

=====
===== First Aid Measures =====

First Aid:SKIN AND EYES:FLUSH WITH PLENTY OF WATER FOR ABOUT 15-20
MINUTES;SEEK MEDICAL
HELP AS SOON AS POSSIBLE. INHALATION:REMOVE TO
FRESH AIR,CALL A PHYSICIAN IF NEEDED. INGESTION:DO NOT INDUCE
VOMITING;CALL A PHYSICIAN IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point:100F/38C
Lower Limits:1.0
Extinguishing Media:DRY CHEMICAL,CO*2,FOAM.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED
AREA.
Unusual Fire/Explosion Hazard:AVOID EXTREME HEAT;CAN IGNITE
EXPLOSIVELY.

=====
===== Accidental Re

Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;REMOVE ALL IGNITION SOURCES;CONTAIN FREE LIQUID IF POSSIBLE. USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY AND WELL VENTILATED AREA.KEEP AWAY FROM HEAT, OPEN FLAMES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:

USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/MIST IF ABOVE PEL/TLV.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:NEOPRENE.

Eye Protection:CHEMICAL GOGGLES.

Other Protective Equipment:PROTECTIVE CLOTHING,EYE-WASH FACILITIES.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPORS/MIST;WASH THOROUGHLY AFTER EACH USE;DO NOT SMOKE IN WORK AREA.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

=====

HCC:F4

Boiling Pt:B.P. Text:355-400F

Vapor Pres:4.0

Vapor Density:>1.0;AIR=1

Spec Gravity:1.32

Evaporation Rate & Reference:SLOWER THAN ETHER

Appearance and Odor:ODORLESS SEMI-GLOSS ALKYD PAINT.

Percent Volatiles by Volume:23.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZERS,ACIDS,BASES & SELECTED AMINES.

Stability Condition to Avoid:EXTREME HEAT,SHOCK FROM DROPPING.

Hazardous Decomposition Products:C

O*2,CO,VARIOUS HYDROCARBONS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaim

s all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.